

PULL OUT THIS WIRE AND HANG UP THE ALMANAC FOR FUTURE REFERENCE



1924


BARKER'S ILLUSTRATED

ALMANAC

FARMERS PRACTICAL ANIMAL GUIDE
USE
BARKER'S

SPECIAL POULTRY REMEDY, POULTRY FEEDS
BARKER'S HEALING OINTMENT and
BARKER'S HORSE and CATTLE

POWDER
ALSO



**BARKER'S
GAPE
REMEDY**

**BARKER'S
ROUP
REMEDY**


BARKER'S NERVE and BONE **LINIMENT**

BARKER'S LICE POWDER

FOR SALE AT ALL DRUG, GROCERY AND GENERAL MERCHANDISE STORES

BARKER'S HOUSEHOLD DISINFECTANT is a preparation having twice the strength of Carbohc Acid and is used for cleaning sinks, floors, pantrys, etc.

BARKER'S ALMANAC FOR 1924



To Those Who Read for Profit—

You appreciate a good almanac—we have tried to please you in this year's edition; we have put together such information as we thought would be of real benefit to you.

Perhaps we have not included everything you wish to know—it is difficult to do so and suit everybody; what we have done may benefit you to some extent; if you do not find what you require to know, won't you write us about it? We have a corps of careful, accurate experts who can answer your questions, trained assistants who devote their time to studying your interests and who anxiously wish to help you to better efforts.

Write us fully and let us PROVE we can help you.

BARKER, MOORE & MEIN MEDICINE COMPANY

70 years of real helpfulness to Farm Animals

PREVENT— Save the cost of a cure, possibly loss by death of a valuable animal.

USE BARKER'S REMEDIES

BARKER'S NERVE AND BONE LINIMENT for Lame Back, Frost Bites, Mange, Whitlow, Cramps of the Muscles, Scratches, Thoroughpin, Cracked Heel, Spavin and Ringbone. **RUB IT IN—IT WILL NOT BURN OR BLISTER.**


MAKE YOUR DEALER FURNISH YOU WHAT YOU WANT. INSIST ON BARKER'S PRODUCTS

CAUTION

Barker's Horse and Cattle Powder has been on the market for over seventy years and in that time has earned the reputation of being a most reliable tonic and conditioner, due to the fine qualities of ingredients used.

BEWARE of Stock Powder claimed to contain same ingredients as Barker's

ASK FOR BARKER'S AND TAKE NO OTHER



Each package of BARKER'S PREPARATIONS contains "Barkers United Profit Sharing Coupons," which can be redeemed for valuable and useful premiums at any of the United Premium Stations or at the main office in New York City.

"Barker's United Profit Sharing Coupons" can be combined with the coupons packed with Wrigley's Chewing Gum and Swift's Soap Products as well as other well-known products.

BARKER, MOORE & MEIN MEDICINE COMPANY

PHILADELPHIA, U. S. A.

Rheumatic Pains, Sore Muscles, Bruises, Stiff Joints, Aching Parts Can Be Very Greatly Relieved With BARKER'S NERVE AND BONE LINIMENT

BARKER'S SPECIAL POULTRY TONIC

Help the hen to lay more eggs. Use

1st Month				JANUARY, 1924				31 Days					
[Phas.]		BOSTON	NEW YORK	WASH'TON	LATITUDE OF NORTHERN STATES			LATITUDE OF MIDDLE STATES			LATITUDE OF SOUTHERN STATES		
D.	H. M.	H. M.	H. M.	H. M.	Sun rises	Sun sets	Moon rises	Sun rises	Sun sets	Moon rises	Sun rises	Sun sets	Moon rises
N. M.	6	7 48 M.	7 48 M.	7 48 M.									
F. Q.	13	5 44 A.	5 44 A.	5 44 A.									
F. M.	21	7 57 A.	7 57 A.	7 57 A.									
L. Q.	29	0 53 M.	0 53 M.	0 53 M.									
Historical Events													
1	T	Circumcision			7 30	4 37	1 35	7 24	4 42	1 34	7 35	4 4	1 29
2	W	Michigan rat. Prohibition, 1919			7 30	4 39	2 40	7 25	4 43	2 44	7 35	4 5	2 35
3	T	Earthquake in Mexico, 1920			7 30	4 39	3 57	7 25	4 44	3 54	7 35	4 6	3 41
4	F	Dr. Wm. Robinson died, 1921			7 30	4 40	5 7	7 25	4 45	5 3	7 35	4 7	4 47
5	S	Sir Ernest Shackleton d., 1922			7 30	4 41	0 14	7 25	4 46	6 10	7 35	4 7	5 52
1. Epiphany Sunday.				Day's Length—9h. 12m.—9h. 22m.—10h. 5m.									
6	S	Epiphany. Roosevelt d., 1919			7 30	4 42	sets	6 7 25	4 47	sets	7 3 5	8	sets
7	M	Irish ratify Peace, 1922			7 30	4 43	6 20	6 7 25	4 48	6 24	7 4 5	9	6 41
8	T	Riots in Ecuador, 1912			7 30	4 44	7 27	7 7 25	4 49	7 30	7 4 5	10	7 44
9	W	Mississippi rat. Prohibition, 1918			7 29	4 45	8 32	7 7 25	4 50	8 34	7 4 5	10	8 45
10	T	Wilson's Peace Note reject., '17			7 29	4 46	9 35	7 7 24	4 51	9 36	7 4 5	11	9 43
11	F	Riots in India, 1921			7 29	4 47	10 37	7 7 24	4 52	10 37	7 4 5	12	10 40
12	S	Steamer Afrique sunk, 1920			7 29	4 48	11 37	7 7 24	4 53	11 37	7 4 5	13	11 36
2. 1st Sunday after Epiphany.				Day's Length—9h. 21m.—9h. 30m.—10h. 11m.									
13	S	Dr. H. Fletcher died, 1919			7 28	4 49	morn	9 7 24	4 54	morn	7 3 5	14	morn
14	M	Illinois ratifies Prohibition, 1919			7 28	4 50	0 35	9 7 23	4 55	0 34	7 2 5	15	0 29
15	T	Karl Liebknecht killed, 1919			7 28	4 51	1 32	9 7 23	4 56	1 30	7 3 5	16	1 22
16	W	Prohib. effective in U. S., 1920			7 27	4 53	2 29	10 7 23	4 57	2 26	7 3 5	16	2 15
17	T	Capt. Scott disc. S. Pole, 1912			7 27	4 54	3 25	10 7 22	4 58	3 22	7 3 5	17	3 8
18	F	Peace Conference opened, 1919			7 26	4 55	4 20	10 7 22	4 59	4 16	7 3 5	18	4 0
19	S	Fire in Sioux City, Ia., 1919			7 26	4 56	5 13	11 7 21	5 1	5 9	7 2 5	19	4 51
3. 2d Sunday after Epiphany.				Day's Length—9h. 32m.—9h. 41m.—10h. 18m.									
20	S	Brit. Submarine K-5 sunk, 1921			7 25	4 57	6 4	11 7 21	5 2	6 0	7 2 5	20	5 42
21	M	Kendrick Bangs died, 1922			7 25	4 59	rises	11 7 20	5 3	rises.	7 2 5	21	rises.
22	T	Pope Benedict XV. died, 1922			7 24	5 0	5 55	12 7 20	5 4	5 58	7 1 5	22	6 15
23	W	S. Carolina rat. Prohibit., 1918			7 23	5 1	6 59	12 7 19	5 5	7 2	7 1 5	23	7 15
24	T	Disorders in Silesia, 1921			7 23	5 2	8 4	12 7 18	5 6	8 6	7 1 5	24	8 15
25	F	Conversion of St. Paul			7 22	5 3	9 10	12 7 17	5 8	9 11	7 0 5	25	9 15
26	S	Earthquake in New Jersey, 1921			7 21	5 5	10 17	13 7 17	5 9	10 17	7 0 5	26	10 17
4. 3d Sunday after Epiphany.				Day's Length—9h. 45m.—9h. 54m.—10h. 28m.									
27	S	Nellie Bly died, 1922			7 21	5 6	11 26	13 7 16	5 10	11 25	6 59	5 27	11 21
28	M	Theatre Disaster, Wash., 1921			7 20	5 7	morn	13 7 15	5 11	morn	6 59	5 28	morn
29	T	U. S. recog. Polish Gov't, 1919			7 19	5 8	0 35	13 7 14	5 12	0 33	6 58	5 29	0 25
30	W	Steamer Monroe sunk, 1914			7 18	5 10	1 44	13 7 14	5 14	1 41	6 58	5 30	1 30
31	T	James G. Blaine born, 1830			7 17	5 11	2 52	13 7 13	5 15	2 48	6 57	5 31	2 34
WEATHER PREDICTIONS. —1-4, unsettled; 5-8, changeable; 9-12, much colder; 13-16, milder; 17-20, clear and cold; 21-25, pleasant; 26-29, unsettled; 30-31, milder.													

Barker, Moore & Mein Medicine Co., Philadelphia, Pa.
DEAR SIRS:—

I have used your Baby Chick Feed for two months and had very good results. The chicks got a good start and kept right on growing without sickness of any kind.

Yours truly, MRS. T. COPELAND

Barker, Moore & Mein Medicine Co., Philadelphia, Pa.
GENTLEMEN:—

Have used Barker's Chick Mash the past year on my chicks and am pleased to say that for me it grew strong, hearty chicks and I lost very few birds.

With best wishes for success, I remain


Yours sincerely,

KATHERINE FLINN

Blue Grass Road,
BUSTLETON, PHILADELPHIA, PA.

UPPER DARBY, PA.
Oct. 10th, 1923

BARKER'S SPECIAL POULTRY REMEDY is a regulator and tonic and is used to keep the chickens in first-class condition. Feed it to the feathered stock and help to fight Chicken Cholera, Roup, Liver Trouble, Colds and ward off all other poultry ailments.



GROWING STOCK—TO KEEP IT GOING AT TOP SPEED

From the time the young stock is six weeks old until it should lay, usually in five to seven months, it must be kept going at an even rate, without setbacks, for best results.

For profit over and above cost of feeding, care and labor, the stock hatched every spring should be so timed that it will become productive in the fall, when egg prices are high.


To have stock lay on time is, or should be, the object with every poultry producer: if the chick is hatched at the right time and kept going until the end of five to seven months it will begin to lay in November and, if kept in condition, will lay on through the winter and until the molting season next fall.

Barker's Laying Mash does the same thing in the young stock, only in a different way, that it does for the laying hen: in the youngster it makes bone, flesh and feathers and keeps the growing fowl healthy—in the hen, after she has made her growth, Barker's Laying Mash makes eggs and lessens mortality.

When the time for discontinuing Barker's Chick Mash arrives, begin on Barker's Laying Mash and keep it before the youngsters all of the time—they will eat only as nature indicates they need feed, and will not overeat and will keep growing at one rate of speed.

BARKER'S HORSE AND CATTLE POWDER

has 70 years of helpful service behind it. It is recognized as the surest animal health powder made. It is the cheapest animal insurance known.



LICE AND MITES CANNOT LIVE WHERE BARKER'S LICE POWDER IS USED

2nd Month				FEBRUARY, 1924				29 Days							
Phas.	BOSTON	NEW YORK	WASH'TON	LATITUDE OF NORTHERN STATES			LATITUDE OF MIDDLE STATES			LATITUDE OF SOUTHERN STATES					
N. M.	D. H. M. 4 8 38 A.	H. M. 8 38 A.	H. M. 8 38 A.	MOON'S SIGNS.	Sun rises h m	Sun sets h m	Moon rises h m	SUN SLOWS	Sun rises h m	Sun sets h m	Moon rises h m	Sun rises h m	Sun sets h m	Moon rises h m	
F. Q.	12 3 9 A.	3 9 A.	3 9 A.												
F. M.	20 11 7 M.	11 7 M.	11 7 M.												
L. Q.	27 8 15 M.	8 15 M.	8 15 M.												
Historical Events															
1	F	King Carlos assassinated, 1908			☾	7 16	5 13	3 58	14	7 12	5 16	3 54	6 56	5 32	3 37
2	S	Purification—Candlemas			☽	7 15	5 14	5 0	14	7 11	5 17	4 56	6 56	5 33	4 38
5. 4th Sunday after Epiphany. Day's Length—10h. 1m.—10h. 8m.—10h. 39m.															
3	S	Gen. De Wet died, 1922			☾	7 14	5 15	5 55	14	7 10	5 18	5 51	6 55	5 34	5 34
4	M	Ger. released Amer. Pris., 1917			☽	7 13	5 16	sets	14	7 9	5 20	sets	6 54	5 34	sets
5	T	Steamer Evestone sunk, 1917			☽	7 11	5 18	6 12	14	7 8	5 21	6 15	6 54	5 35	6 27
6	W	Pope Pius XI. elected, 1922			☽	7 10	5 19	7 17	14	7 7	5 22	7 19	6 53	5 36	7 27
7	F	Fire in Richmond, Va., 1922			☽	7 9	5 20	8 20	14	7 6	5 23	8 21	6 52	5 37	8 25
8	F	Steamer Mantola sunk, 1917			☽	7 8	5 21	9 21	14	7 5	5 25	9 21	6 51	5 38	9 22
9	S	N. J. ratified Wom. Suff., 1920			☽	7 7	5 23	10 21	14	7 4	5 26	10 20	6 50	5 39	10 17
6. 5th Sunday after Epiphany. Day's Length—10h. 18m.—10h. 25m.—10h. 50m.															
10	S	Tornado in Georgia, 1922			☽	7 6	5 24	11 20	14	7 2	5 27	11 18	6 50	5 40	11 12
11	M	President Ebert elected, 1919			☽	7 4	5 25	morn	14	7 1	5 28	morn	6 49	5 41	morn
12	T	Pope Pius XI. crowned, 1922			☽	7 3	5 27	0 17	14	7 0	5 29	0 14	6 48	5 42	0 58
13	W	Alphonse Bertillon, died, 1914			☽	7 2	5 28	1 13	14	6 59	5 31	1 10	6 47	5 43	1 51
14	T	St. Valentine			☽	7 0	5 29	2 9	14	6 58	5 32	2 5	6 46	5 44	2 42
15	F	Battleship Maine destro'd, 1898			☽	6 58	5 31	3 3	14	6 56	5 33	3 59	6 45	5 44	3 44
16	S	Newcastle Colliery Disas., 1909			☽	6 58	5 32	3 55	14	6 55	5 34	3 51	6 44	5 45	3 33
7. Septuagesima Sunday. Day's Length—10h. 37m.—10h. 43m.—11h. 3m.															
17	S	Maryland def. Wom. Suff., 1920			☽	6 56	5 33	4 44	14	6 53	5 36	4 40	6 43	5 46	4 23
18	M	Judge K. M. Landis resig. 1922			☽	6 55	5 34	5 29	14	6 53	5 37	5 25	6 42	5 47	5 10
19	T	Gen. Fred. Funston died, 1917			☽	6 54	5 36	6 10	14	6 51	5 38	6 7	6 41	5 48	5 54
20	W	Robert E. Peary died, 1920			☽	6 52	5 37	rises	14	6 50	5 39	rises	6 40	5 49	rises
21	T	Dirigible Roma Disaster, 1922			☽	6 51	5 38	6 58	14	6 48	5 40	6 59	6 39	5 50	7 5
22	F	Nationalists in Teheran, 1921			☽	6 49	5 39	8 6	14	6 47	5 42	8 6	6 38	5 50	8 8
23	S	Italy annexed Tripoli, 1912			☽	6 48	5 41	9 16	14	6 45	5 43	9 15	6 37	5 51	9 13
8. Sexagesima Sunday. Day's Length—10h. 58m.—11h. 0m.—11h. 18m.															
24	S	St. Matthias			☽	6 46	5 42	10 26	13	6 44	5 44	10 24	6 36	5 52	10 18
25	M	Steamer Laconia sunk, 1917			☽	6 45	5 43	11 36	13	6 43	5 45	11 33	6 35	5 53	11 23
26	T	Destroyer Woolsey Collis., 1921			☽	6 43	5 44	morn	13	6 41	5 46	morn	6 34	5 54	morn
27	W	Railway Wreck in Ind., 1921			☽	6 42	5 46	0 44	13	6 40	5 48	0 41	6 32	5 55	0 27
28	T	Riots in Italy, 1921			☽	6 40	5 47	1 50	13	6 38	5 49	1 46	6 31	5 55	1 30
29	F	Leap Year Day			☽	6 38	5 48	2 53	13	6 37	5 50	2 49	6 30	5 56	2 31
WEATHER PREDICTIONS.—1-3, snow storms; 4-8, strong gales; 9-13, cold wave; 14-19, clear and milder; 20-24, cloudy and rain; 25-29, clear and decidedly colder.															

Every horse is entitled to good health and good care. USE

Barker's Horse and Cattle Powder

Barker, Moore & Mein Medicine Co. Philadelphia, Pa. TORRESDALE, PA. Oct. 2, 1923
 DEAR SIR:—My baby chicks this year were started on your Baby Chick Mash which I found very satisfactory as they are now big boned hearty chickens.
 When older I fed the Baby Chick Mash along with Barker's Laying Mash with good results.
 With best wishes for success, I remain
 MRS. MARGARET HANNS

Barker, Moore & Mein Medicine Co. Philadelphia, Pa. FRAZER, PA. Oct. 1st, 1923
 GENTLEMEN:—Having used Barker's Baby Chick Mash on my Rhode Island red chick the past year, I wish to state that it makes strong hearty birds, feeds up well and low mortality.
 Yours truly,
 MRS. MARY E. SMEDLEY

POULTRY DISEASE SYMPTOMS

Roup: Symptoms:—Clogged nostrils, swollen eye or eyes, bubbles from forward corner of either eye or both, listlessness, labored and offensive discharges from nose.

Treatment:—In advanced stages this disease is practically incurable. When bubbles first appear give Barker's Roup Remedy and mix Barker's Special Poultry Remedy with mash feed to keep up strength and appetite.

Preventive measures consist of using Barker's Roup Remedy as directed on package and keeping fowls in good condition with Barker's Special Poultry Remedy. Separate sick birds from well birds. Spray liberally with Barker's Poultry Disinfectant.

Colds: Symptoms:—Sneezing, bubbles in eyes and discharge (watery) from nostrils.

Treatment:—Give Barker's Special Poultry Remedy and Roup Remedy at once. Thoroughly disinfect.

Worms: Symptoms:—Loss of energy, loss of weight, paleness, worms found in droppings.

Treatment:—Give $\frac{3}{4}$ to full teaspoonful of Barker's Nerve and Bone Liniment once a day for 3 days. Follow in ten days with same quantity on two days. Give Barker's Special Poultry Remedy to restore appetite and general good condition.

Gapes: Symptoms:—Affected birds cough and wheeze, stretching head and neck upward and finally die.

Treatment:—Give Barker's Gape Remedy at first indication of trouble and keep at it constantly until all signs of this pernicious death dealing parasite disappears. As a precaution against further infection spray floors of houses of affected birds with Barker's Poultry Disinfectant.

Diarrhoea: Symptoms:—Soft, unformed stools, brown, yellow or greenish color, paleness in comb, wattles and face, loss of appetite and weakness.

Treatment:—Give dose of olive, sweet or castor oil, one teaspoonful. Correct food and clean up quarters, providing new litter. Highly infectious—spray, before putting in new litter, with Barker's Poultry Disinfectant. Feed all birds Barker's Special Poultry Remedy.

Liver Trouble: Symptoms:—Dark combs, diarrhoea and loss of appetite, followed by death.

Treatment:—Correct at once with teaspoonful castor or olive oil and use regularly Barker's Special Poultry Remedy. Do not give too much meat scrap in mash. This disturbance, if permitted to run a week or two, will eventually kill off the entire flock.

Rheumatism: Symptoms:—Lameness, loss of use of one or both legs, one or both wings drooped, or cramped toes.

Treatment:—Feed sparingly for few days after giving one teaspoonful of olive oil with which is mixed one grain of salicylic acid; with each meal mix Barker's Special Poultry Remedy. Keep birds in quarters not subject to draught.

General:—Geese, guineas, ducks and turkeys are liable to disease in the order given—the goose and guinea have few ailments that are treated by veterinarians; ducks sometimes suffer from lack of swimming water in the breeding season. Turkeys are much given to two ailments, black head (hepatitis) and infectious (bacterial enteritis) or fatal diarrhoea. The first of these ailments is at present incurable, though preventable.

prevention lies in keeping the liver of the turkey always active. An over plus of bile (liliary reptition) is the cause of blackhead—prevention is brought about through the use of Barker's Special Poultry Remedy. The second ailment is most rare, if Barker's Special Poultry Remedy is faithfully used.


To further increase success and keep the greatest number of fowl alive Barker's Laying Mash for growing stock, laying and breeding hens and male birds is urged—it is the mash for vigorous growth of youngsters, and is the Mash of Most Eggs—Lowest Mortality.

For chicks from hatching time to six weeks of age Barker's Chick Mash (which contains sweet milk) keeps the greatest number alive and growing at a rapid rate.

BARKER'S REMEDIES

have a distinct place in the protection of farm Animal Life, a place made by 70 years of service and profit to animal owners.

Every Barker product is sold guaranteed satisfactory or money returned.



More Horses and Cows Die from Disease Brought About by Poor Condition Than from Disease Due to Natural Causes—Keep Your Animals in Condition With Barker's Products

Barker's Horse and Cattle Powder

Calves can be kept free from scours; they bring more money when fed

3rd Month				MARCH, 1924				31 Days					
Phas.	BOSTON		NEW YORK		WASH'TON		LATITUDE OF NORTHERN STATES		LATITUDE OF MIDDLE STATES		LATITUDE OF SOUTHERN STATES		
N. M.	D. H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	SUN RISES	SUN SETS	MOON RISES	SUN RISES	SUN SETS	MOON RISES	
F. Q.	5 10 58 M.	10 58 M.	10 58 M.	10 58 M.	10 58 M.	10 58 M.	h m	h m	h m	h m	h m	h m	
F. M.	13 11 50 M.	11 50 M.	11 50 M.	11 50 M.	11 50 M.	11 50 M.	h m	h m	h m	h m	h m	h m	
L. Q.	20 11 30 A.	11 30 A.	11 30 A.	11 30 A.	11 30 A.	11 30 A.	h m	h m	h m	h m	h m	h m	
L. Q.	27 3 24 A.	3 24 A.	3 24 A.	3 24 A.	3 24 A.	3 24 A.	h m	h m	h m	h m	h m	h m	
D	M	D	Historical Events										
1	S		St. David	6 37	5 49	3 49	12	6 35	5 51	3 45	6 29	5 57	3 27
9			Quinquagesima Sunday.	Day's Length—11h. 10m.—11h. 10m.—11h. 30m.									
2	S		Champ Clark died, 1921	6 35	5 57	4 38	12	6 34	5 52	4 34	6 28	5 58	4 19
3	M		Juneau Mine Explosion, 1910	6 34	5 52	5 23	12	6 32	5 53	5 18	6 27	5 59	5 5
4	T		Texas ratified Prohibition, 1918	6 32	5 53	5 59	12	6 31	5 54	5 56	6 25	5 59	5 47
5	W		Ash Wednesday	6 30	5 54	sets	12	6 29	5 55	sets	6 24	6 0	sets
6	T		Big Fire in Dayton, 1920	6 28	5 55	7 7	11	6 28	5 56	7 7	6 23	6 1	7 10
7	F		Fire in Old Point Comfort, 1920	6 27	5 57	8 7	11	6 26	5 57	8 6	6 22	6 2	8 5
8	S		Treaty with Japan, 1854	6 25	5 58	9 6	11	6 24	5 59	9 5	6 20	6 2	9 0
10			1st Sunday in Lent.	Day's Length—11h. 35m.—11h. 37m.—11h. 44m.									
9	S		Wilson calls Extra Session, 1917	6 24	5 59	10 5	11	6 23	6 10	3 6	6 19	6 3	9 55
10	M		Riots in Johannesburg, 1922	6 22	6 0	11 3	10	6 21	6 11	0	6 18	6 4	7 40
11	T		Race Riots in Ohio, 1921	6 20	6 1	11 59	10	6 19	6 2	11 55	6 16	6 5	11 42
12	W		Ember day	6 18	6 2	morn	10	6 18	6 3	morn	6 15	6 5	morn
13	T		Tornado in the South, 1922	6 17	6 4	0 53	10	6 16	6 4	0 49	6 14	6 6	0 33
14	F		Ember day	6 15	6 5	1 45	9	6 15	6 5	1 41	6 13	6 7	1 23
15	S		Ember day	6 13	6 6	2 34	9	6 13	6 6	2 30	6 11	6 8	2 12
11			2d Sunday in Lent.	Day's Length—11h. 55m.—11h. 58m.—11h. 58m.									
16	S		Joseph Medill died, 1899	6 12	6 7	3 20	9	6 11	6 7	3 16	6 10	6 8	2 59
17	M		St. Patrick's Day	6 10	6 8	4 3	8	6 10	6 8	3 59	6 9	6 9	3 45
18	T		Russia-Polish Treaty, 1921	6 8	6 9	4 42	8	6 8	6 9	4 39	6 7	6 10	4 28
19	W		Bert L. Taylor died, 1921	6 6	6 10	5 19	8	6 6	6 11	5 17	6 6	6 11	5 9
20	T		Spring begins	6 5	6 12	rises	8	6 5	6 12	rises	6 5	6 11	rises
21	F		Gen. J. E. Johnston died, 1891	6 3	6 13	6 58	7	6 3	6 13	6 58	6 4	6 12	6 57
22	S		Washington rat. Wom. Suff., '20	6 1	6 14	8 10	7	6 1	6 14	8 9	6 2	6 13	8 4
12			3d Sunday in Lent.	Day's Length—12h. 16m.—12h. 15m.—12h. 12m.									
23	S		House passed Bonus Bill, 1922	5 59	6 15	9 22	7	6 0	6 15	9 20	6 1	6 13	9 21
24	M		Senate rat. Pacific Treaty, 1922	5 58	6 16	10 34	6	5 58	6 16	10 31	6 0	6 14	10 19
25	T		Annunciation	5 56	6 17	11 43	6	5 56	6 17	11 31	5 58	6 15	11 24
26	W		Fire in Tokyo, 1921	5 54	6 18	morn	6	5 55	6 18	morn	5 57	6 15	morn
27	T		Steamer Falaba sunk, 1917	5 52	6 19	0 47	5	5 53	6 19	0 43	5 56	6 16	0 25
28	F		Tornado in Illinois, 1920	5 51	6 20	1 45	5	5 51	6 20	1 41	5 54	6 17	1 23
29	S		Explosion in Chicago, 1921	5 49	6 22	2 36	5	5 50	6 22	2 32	5 53	6 18	2 16
13			4th Sunday in Lent.	Day's Length—12h. 38m.—12h. 34m.—12h. 28m.									
30	S		Alaska purchased, 1867	5 47	6 23	3 20	5	5 48	6 23	3 17	5 52	6 18	3 3
31	M		Fire in the Bahamas, 1922	5 45	6 24	3 59	4	5 46	6 23	3 56	5 50	6 19	3 46

WEATHER PREDICTIONS.—1-3, cold and blustery; 4-7, unsettled; 8-12, cloudy and snow; 13-17, clear and cold; 18-21, clear and mild; 22-25, stormy; 26-31, heavy frost.

Every chick raised means money made. Carry them safely thru on

Barker's Chick Mash

Barker, Moore & Mein Medicine Co. DEAR SIRS:—

As I have used your Horse and Cattle Powder and Nerve and Bone Liniment for the last 25 years, also Dip and Disinfectant, I can say that they are the best. I can especially recommend the Nerve and Bone Liniment for rheumatism for man and beast.

Barker, Moore & Mein Medicine Co., Philadelphia, Pa. DEAR SIRS:—

I tried Barker's Chick Mash the past year and found it most satisfactory as it feeds up well and makes big chicks. Wishing you success, I remain

ALLEGANY, N. Y.

Yours, FRANK CLAYSON.

HOLMESBURG, Pa., Oct. 2, 1923.

Yours truly, HENRY ABBOTT

It is not the amount of feed that the chicks eat that builds their bodies. Their health and growth are determined by the quality of their food. BARKER'S CHICK FEED is manufactured by a firm with a reputation of seventy years behind it.

GAPES THE YOUNG CHICK MURDERER

Gapes are fatal only because they are allowed to reach the stage where they choke the chick to death.

The red worm that attaches itself to the chick's wind pipe grows and produces other worms; this growth and reproduction goes on until the windpipe is filled and the chick's lungs collapse, because they do not receive the proper amount of air.

Prevent the growth of gape worms and enable the chicks, by proper treatment, to throw off these worms: this will relieve the chick, permit it to eat a sufficient amount of feed to sustain it and keep it growing.



BARKER'S GAPE REMEDY

will do the work successfully, if used according to simple directions.

BARKER'S LICE POWDER

keeps the birds happy and contented in freedom from vermin.

Prevent Disease—not all diseases can be cured.

Just Keeping Disease out of One Henhouse at a Cost of 55 Cents is Cheaper Than Losing One Bird. A Quart Can of BARKER'S POULTRY DISINFECTANT (twice as strong as Carbolic Acid) Will Disinfect a Ten by Ten House Many Times.

Let US solve them. Write us when your stock is not just RIGHT.

ANIMAL PROBLEMS

4th Month				APRIL, 1924				30 Days				
1 Phas.	BOSTON	NEW YORK	WASH'TON	LATITUDE OF NORTHERN STATES			LATITUDE OF MIDDLE STATES			LATITUDE OF SOUTHERN STATES		
D. H. M.	H. M.	H. M.	H. M.	MOON'S SIGNS.			MOON'S SIGNS.			MOON'S SIGNS.		
N. M.	2 17 M.	2 17 M.	2 17 M.	Sun rises	Sun sets	Moon rises	Sun rises	Sun sets	Moon rises	Sun rises	Sun sets	Moon rises
F. Q.	12	6 12 M.	6 12 M.	4	5	4	4	5	4	3	5	4
F. M.	19	9 11 M.	9 11 M.	3	3	3	3	4	3	2	3	2
L. Q.	25	11 28 A.	11 28 A.	2	2	2	2	3	2	1	2	1
D	M	O	W	Historical Events								
1	T	W		Coal Miners' Strike, 1922	5 44	6 25	4 34	4	5	4	5	4
2	T	W		Earthquake in Serbia, 1922	5 42	6 26	5 6	4	5	4	5	4
3	T	W		Flood at Memphis, 1912	5 40	6 27	sets	3	3	3	3	2
4	F	S		Steamer Parana sunk, 1917	5 39	6 28	6 56	2	2	2	2	1
5	F	S		Willard defeats Johnson, 1915	5 37	6 30	7 55	3	3	3	3	2
14. 5th Sunday in Lent.				Day's Length—12h. 59m.—12h. 53m.—12h. 41m.								
6	S	M		U. S. decl. War on Germany, '17	5 35	6 31	8 53	2	2	2	2	1
7	M	M		Airplane Collision in France, '22	5 33	6 32	9 50	1	1	1	1	0
8	T	W		Gen. Falkenhayn died, 1922	5 32	6 33	10 43	0	0	0	0	0
9	W	W		Stephen J. Field died, 1899	5 30	6 34	11 32	0	0	0	0	0
10	T	W		Genoa Conference opened, 1922	5 28	6 35	morn	1	1	1	1	0
11	F	S		Civil War began, 1861	5 27	6 36	0 28	1	1	1	1	0
12	S	S		Chelsea, Mass., Fire, 1908	5 25	6 37	1 14	1	1	1	1	0
15. Palm Sunday.				Day's Length—13h. 15m.—13h. 12m.—12h. 54m.								
13	S	M		Palm Sunday	5 23	6 38	1 57	1	1	1	1	0
14	M	M		Fire in Japan, 1921	5 22	6 40	2 37	0	0	0	0	0
15	T	W		Steamer Titanic sank, 1912	5 20	6 41	3 14	0	0	0	0	0
16	W	W		Nelson W. Aldrich died, 1915	5 19	6 42	3 49	0	0	0	0	0
17	T	W		Tornado in So. Illinois, 1922	5 17	6 43	4 23	0	0	0	0	0
18	F	S		Good Friday	5 15	6 44	4 57	1	1	1	1	0
19	S	S		Adm. A. Taylor died, 1891	5 14	6 45	rises	1	1	1	1	0
16. Easter Sunday.				Day's Length—13h. 34m.—13h. 29m.—13h. 8m.								
20	S	M		Easter Sunday	5 12	6 46	8 14	1	1	1	1	0
21	M	M		Victory Loan opened, 1919	5 11	6 47	9 27	1	1	1	1	0
22	T	W		Jos. Caillaux convicted, 1920	5 9	6 48	10 36	2	2	2	2	1
23	W	W		St. George	5 8	6 50	11 39	2	2	2	2	1
24	F	S		Railroad Wreck in India, 1920	5 6	6 51	morn	2	2	2	2	1
25	F	S		St. Mark. Ft. Worth Flood, '22	5 5	6 52	0 34	2	2	2	2	1
26	S	S		William H. Seward died, 1920	5 3	6 53	1 21	2	2	2	2	1
17. Low Sunday.				Day's Length—13h. 52m.—13h. 46m.—13h. 20m.								
27	S	M		Cruiser L. Gambetta sunk, 1915	5 2	6 54	2 22	3	3	3	3	2
28	M	M		Army Draft Bill passed, 1917	5 0	6 55	2 38	3	3	3	3	2
29	T	W		Richard Croker died, 1922	4 59	6 56	3 10	3	3	3	3	2
30	W	W		Fire in Yokohama, 1919	4 58	6 57	3 39	3	3	3	3	2

WEATHER PREDICTIONS.—1-4, showers; 5-8, clear and cooler; 9-12, clear and fair; 13-16, cloudy and warm; 17-21, cold and stormy; 22-26, changeable; 27-30, pleasant.

Barker, Moore & Mein Medicine Co., Philadelphia, Pa.
GENTLEMEN:—

SHOWELL, MD.


We have had an epidemic of Chicken Cholera in this vicinity in the present season. As a dealer handling your products we suggested the use of Barker's Special Poultry Remedy to our customers, who had tried other remedies and were losing their birds daily with this disease. Very quickly my customers reported success and stated emphatically that Barker's Special Poultry Remedy was without an equal. As a result of the success in the cases coming under my notice I am now recommending to all users Barker's Special Poultry Remedy and I wish you continued success in its sale. Yours respectfully,
VANDERGRIFT & CO.

Farm animals get best insurance through the use of Barker's Horse and Cattle Powder

BARKER'S CHICK MASH

IS COMPOSED OF SWEET, SOUND GRAINS, ACCURATELY MILLED—CAREFULLY PACKED

THE CITY GIRLS VACATION SWIM IS INTERRUPTED



PUZZLE PICTURE
FIND 'PEEPING TOM'

LICE ON FOWLS AND HOW TO RID CHICKS AND HENS OF THEM

More hen hatched chicks are lost through chicken lice than from other causes.

First, the hen is infested with lice; while on the nest, devoting her time to hatching out eggs, she is verily eaten alive by these blood sucking pests: many a good hen lost her life through her natural devotion to reproducing her kind. Second, the hen, if she lives through the 21 long days she remains on her eggs, transmits or transfers some of these lice to her tender young babies, too young to even scratch and naturally the lice kill the chicks.

There is no reason for lousy hens: there is no reason for lousy chicks, both can be lice-free and should be. Poultry lice can be easily and quickly killed: there is a certain combination of simple chemicals that will kill every one of them, on either young or old chickens.

The basic material or chemical which accomplishes this has been tried and proven by the United States Bureau of Animal Industry and by most, if not all, of the several State Experiment Stations throughout the country.


To kill poultry lice dust the nests of all hens; dust the chick or hen by holding feet in one hand and letting head and body hang downward while the owner dusts her fluff with Barker's Lice Powder. Dust chick in same manner. This powder contains the simple chemical, combined with others to make it most powerful and which kills all lice.

For a hen with chicks dust the breast and under the wings, as well as the fluff. Should the chicks be already infested with lice dust them too—you will kill the lice without harming the very youngest chick.

BARKER'S CHICK MASH

will raise more of the livable chicks and will carry the greatest number thru the danger period—six weeks.

There is safety in prevention—a big gamble in attempting to cure. Try Barker's and save losses.



Barker's Special Poultry Remedy

Happy hens are heavy layers. USE

5th Month			MAY, 1924			31 Days																																									
Phas.			MOON'S SIGNS.			LATITUDE OF NORTHERN STATES			LATITUDE OF MIDDLE STATES			LATITUDE OF SOUTHERN STATES																																			
BOSTON			NEW YORK			WASH'TON			SUN EAST			SUN WEST																																			
D	M	W	D	M	W	D	M	W	Sun rises	Sun sets	Moon rises	Sun rises	Sun sets	Moon rises	Sun rises	Sun sets	Moon rises																														
N.	M.	3	6	0	A.	6	0	A.	6	0	A.	6	0	A.	9	14	A.	9	14	A.	4	52	A.	4	52	A.	4	52	A.	9	14	A.	9	14	A.	4	52	A.	4	52	A.						
F.	Q.	11	9	14	A.	9	14	A.	9	14	A.	9	14	A.	9	14	A.	9	14	A.	9	14	A.	9	14	A.	9	14	A.	9	14	A.	9	14	A.	9	14	A.	9	14	A.	9	14	A.	9	14	A.
F.	M.	18	4	52	A.	4	52	A.	4	52	A.	4	52	A.	4	52	A.	4	52	A.	4	52	A.	4	52	A.	4	52	A.	4	52	A.	4	52	A.	4	52	A.	4	52	A.	4	52	A.	4	52	A.
L.	Q.	25	9	16	M.	9	16	M.	9	16	M.	9	16	M.	9	16	M.	9	16	M.	9	16	M.	9	16	M.	9	16	M.	9	16	M.	9	16	M.	9	16	M.	9	16	M.	9	16	M.	9	16	M.
Historical Events																																															
1	T	St. Philip and St. James			4	56	6	59	4	7	3	3	4	58	6	55	4	7	5	14	6	42	4	10																							
2	F	Tornado in Oklahoma, 1920			4	55	6	59	4	35	3	3	4	58	6	56	4	36	5	13	6	42	4	42																							
3	S	Steamer Columbian burned, 1914			4	53	7	1	sets	3	4	57	6	57	sets	5	13	6	42	sets																											
18. 2d Sunday after Easter.			Day's Length—14h. 10m.—14h. 2m.—13h. 32m.																																												
4	S	Fire in Valparaiso, 1914			4	52	7	2	7	42	3	4	56	6	58	7	39	5	11	6	43	7	27																								
5	M	Earthquake in Costa Rica, 1910			4	51	7	3	8	39	3	4	54	6	59	8	35	5	10	6	44	8	21																								
6	T	Roumania surre'd to Ger., 1918			4	49	7	4	9	33	3	4	53	7	0	9	29	5	9	6	45	9	12																								
7	W	Rebels occupy Mex. City, 1920			4	48	7	5	10	24	4	4	52	7	0	10	20	5	8	6	45	10	2																								
8	T	Steamer Cymric torpedoed, 1916			4	47	7	6	11	11	4	4	51	7	3	11	7	5	7	6	46	10	49																								
9	F	Earthquake in Italy, 1914			4	46	7	7	11	55	4	4	50	7	4	11	51	5	6	6	47	11	34																								
10	S	Lillian Nordica died, 1914			4	45	7	8	morn	4	4	49	7	5	morn	5	5	6	47	morn																											
19. 3d Sunday after Easter.			Day's Length—14h. 26m.—14h. 19m.—13h. 44m.																																												
11	S	Wm. D. Howells died, 1920			4	43	7	9	0	35	4	4	47	7	6	0	31	5	4	6	48	0	17																								
12	M	San Juan bombarded, 1914			4	42	7	10	1	12	4	4	46	7	7	1	9	5	4	6	49	0	58																								
13	T	Cloudburst in S. Dakota, 1920			4	41	7	12	1	47	4	4	45	7	8	1	45	5	3	6	50	1	37																								
14	W	First Liberty Loan, 1917			4	40	7	13	2	20	4	4	44	7	9	2	19	5	2	6	50	2	15																								
15	T	Standard Oil Co. dissolved, 1911			4	39	7	14	2	53	4	4	43	7	9	2	53	5	1	6	51	2	53																								
16	F	Levi P. Morton died, 1920			4	38	7	15	3	27	4	4	42	7	10	3	28	5	1	6	52	3	24																								
17	S	King Alphonso born, 1885			4	37	7	16	4	3	4	4	42	7	11	4	3	5	0	6	53	4	13																								
20. 4th Sunday after Easter.			Day's Length—14h. 41m.—14h. 31m.—13h. 54m.																																												
18	S	Franklin K. Lane died, 1921			4	36	7	17	rises.	4	4	41	7	12	rises.	4	59	6	53	rises.																											
19	M	Chief Justice White died, 1921			4	35	7	18	8	16	4	4	40	7	13	8	12	4	59	6	54	7	56																								
20	T	Cuban Republic inaug., 1902			4	34	7	19	9	25	4	4	39	7	14	9	21	4	58	6	55	8	3																								
21	W	Pres. Carranza assassin., 1920			4	33	7	20	10	25	4	4	38	7	15	10	21	4	58	6	55	10	3																								
22	T	Steamer Egypt sank, 1922			4	32	7	21	11	17	3	4	37	7	16	11	13	4	57	6	56	10	57																								
23	F	Gen. Burnside born, 1824			4	32	7	22	morn	3	4	36	7	17	11	58	4	57	6	57	11	45																									
24	S	Arizona ratified Prohibit., 1918			4	31	7	23	0	1	3	4	36	7	18	morn	4	56	6	57	morn																										
21. Rogation Sunday.			Day's Length—14h. 54m.—14h. 43m.—14h. 3m.																																												
25	S	Pres. Diaz abdicated, 1911			4	30	7	24	0	40	3	4	35	7	18	0	37	4	55	6	58	0	28																								
26	M	Civil War ends, 1865			4	29	7	24	1	14	3	4	34	7	19	1	12	4	55	6	59	1	6																								
27	T	Cyclone in St. Louis, 1896			4	28	7	25	1	44	3	4	34	7	20	1	43	4	55	6	59	1	41																								
28	W	Cyclone in Oklahoma, 1912			4	28	7	26	2	12	3	4	33	7	21	2	12	4	54	7	0	2	13																								
29	T	Ascension Day			4	28	7	27	2	40	3	4	33	7	22	2	41	4	54	7	1	3	18																								
30	F	Memorial Day			4	27	7	28	3	8	2	4	32	7	23	3	10	4	54	7	1	3	18																								
31	S	Johnstown Flood, 1889			4	26	7	29	3	38	2	4	32	7	23	3	41	4	53	7	2	3	53																								

WEATHER PREDICTIONS.—1-4, warm and pleasant; 5-8, clear and cooler; 9-13, cloudy and rain; 14-18, cool and frosty; 19-22, warmer; 23-26, fair; 27-31, showers.

Barker, Moore & Mein Medicine Co., Philadelphia, Pa. P. O. BOX 3, ROSEMONT, PA., Aug. 3rd, 1923
 DEAR SIR:—Have been using your laying mash on layers and as growing mash for young stock and find it very satisfactory. Fowls consume it clean and give good results in egg basket.


Yours, RICHARD M. SHAW, Mgr. Wentworth Farm

A healthy horse can always be used for work purposes; if sickness or soreness, lameness or lack of vitality keeps him stabled for one day when needed, his owner will lose at least \$3.00. One 60 cent package of Barker's Horse and Cattle Powder will keep him healthy, happy and honest for 160 days.

Lively chicks thrive best. Use Barker's Baby Chick Mash

BARKER'S LINIMENT

can be bought in 35c. and 70c. size bottles. Large users will find that the 70c. size is the most economical one to purchase.



LAYING HENS HOW TO GET THE MOST EGGS AND HOW TO KEEP THEM ALWAYS HEALTHY

Like a good horse or cow the laying hen produces best under good care and good feed: a sick hen cannot digest enough feed to produce eggs.

To throw a little grain to hens and to then expect them to rustle for the remainder of their sustenance, their living, will neither keep hens well nor make them lay.

As a matter of fact the poorly fed hen is not worth her keep—she produces but a few eggs in the spring and early summer and is useless until the following spring.

Every successful egg getter knows that the high priced egg of the fall and winter is the profitable egg and that the more cold-weather eggs secured, the more profit results.

Laying hens, those that should lay, must be fed and housed in such a manner as will keep them in good condition—the pullets must be brought along to mature not later than November 15th—if properly raised they will lay then or before: the poorly developed pullet will not lay until the following spring.

An easy way to keep the pullet growing into an egg producer is to feed her Barker's Laying Mash from six weeks of age and then on until she is no longer needed as a layer.

That there may be no hitch in the pullet's growth and development into an egg producer every week she should have a little Barker's Poultry Remedy mixed with the mash: this Poultry Remedy will keep her healthy and always producing eggs if it is fed in the mash once a week, especially in the cold weather.

Barker's Laying Mash will keep alive more hens that will lay than ordinary feeds—Barker's Poultry Remedy will give the owner the cheapest hen insurance obtainable.

Cleanliness in
Animal Housing is
Easiest Obtained with

BARKER'S DISINFECTANT

Barker's Chick Mash

builds flesh and bone. Baby
chicks will feather more rapidly
if it is used from the first feeding.


Roupe is the Poultryman's
Scourge. Prevent or Relieve it with
BARKER'S ROUP REMEDY

6th Month		JUNE, 1924			30 Days		
Phas.	BOSTON	NEW YORK	WASH'TON	LATITUDE OF STATES			
N. M.	D. H. M.	H. M.	H. M.	LATITUDE OF STATES			
F. Q.	2 9 34 M.	9 34 M.	9 34 M.	LATITUDE OF STATES			
F. M.	10 8 37 M.	8 37 M.	8 37 M.	LATITUDE OF STATES			
F. A.	16 11 41 A.	11 41 A.	11 41 A.	LATITUDE OF STATES			
L. Q.	23 9 16 A.	9 16 A.	9 16 A.	LATITUDE OF STATES			
Historical Events				MOON'S SIGNS.			
D	O	W		Sun rises	Sun sets	Moon rises	
h	m			h m	h m	h m	
22. Sunday after Ascension. Day's Length—15h. 4m.—14h. 53m.—14h. 9m.				MOON'S SIGNS.			
1	S	Race Riots in Tulsa, Okla., 1921	4 26 7 30	4 11 2 2	4 31 7 24	4 14 4 53	
2	M	Marital Law procl. in Cuba, '12	4 25 7 30	sets	4 31 7 25	sets	
3	T	Pueblo inundated, 1921	4 25 7 31	8 20	4 30 7 26	8 16	
4	W	Str. Villa Franca sunk, 1922	4 25 7 32	9 9	4 30 7 26	9 5	
5	F	U. S. Army Registr. Day, 1917	4 24 7 32	9 55	4 29 7 27	9 51	
6	T	Lillian Russell died, 1922	4 24 7 33	10 36	4 29 7 28	10 32	
7	S	Earthquake in Mexico, 1911	4 23 7 34	11 13	4 29 7 28	11 10	
23. Pentecost—Whit Sunday. Day's Length—15h. 11m.—14h. 0m.—14h. 15m.				MOON'S SIGNS.			
8	S	Pentecost Sunday	4 23 7 34	11 48	4 29 7 29	11 45	
9	M	F. W. Galbraith killed, 1921	4 23 7 35	morn	4 28 7 29	morn	
10	T	Steamer Slavonia sunk, 1909	4 23 7 35	0 21	4 28 7 30	0 19	
11	W	St. Barnabas. Ember day	4 22 7 36	0 52	4 28 7 30	0 51	
12	F	Sen. Harding nominated, 1920	4 22 7 36	1 24	4 28 7 31	1 24	
13	T	Ember day	4 22 7 37	1 58	4 28 7 31	1 59	
14	S	Ember day	4 22 7 37	2 35	4 28 7 32	2 37	
24. Trinity Sunday. Day's Length—15h. 16m.—15h. 4m.—14h. 18m.				MOON'S SIGNS.			
15	S	Trinity Sunday	4 22 7 38	3 17	4 28 7 32	3 20	
16	M	Steamer Avare capsized, 1923	4 22 7 38	4 4	4 28 7 33	4 8	
17	T	Fire at Santiago, Cuba, 1920	4 22 7 38	rises	4 28 7 33	rises	
18	W	State Militias mobilized, 1916	4 22 7 39	9 7	4 28 7 33	9 3	
19	T	Corpus Christi	4 23 7 39	0 56	4 28 7 34	0 52	
20	F	Cloudburst in Breslau, 1912	4 23 7 40	10 38	4 28 7 34	10 35	
21	S	Summer begins	4 23 7 40	11 14	4 28 7 34	11 12	
25. 1st Sunday after Trinity. Day's Length—15h. 17m.—15h. 5m.—14h. 19m.				MOON'S SIGNS.			
22	S	Illinois Troops mobilized, 1922	4 23 7 40	11 46	4 29 7 34	11 45	
23	M	Niagara River Disaster, 1912	4 23 7 40	morn	4 29 7 35	morn	
24	T	St. John, Baptist	4 24 7 40	0 16	4 29 7 35	0 16	
25	W	Massachusetts rat. W. Suff. 1919	4 24 7 40	0 44	4 29 7 35	0 45	
26	T	Steamer Fitzroy sunk, 1921	4 24 7 40	1 12	4 30 7 35	1 13	
27	F	U. S. Troops in France, 1917	4 25 7 40	1 42	4 30 7 35	1 44	
28	S	Charles J. Bonaparte died, 1921	4 25 7 40	2 13	4 31 7 35	2 16	
26. 2d Sunday after Trinity. Day's Length—15h. 15m.—15h. 4m.—14h. 18m.				MOON'S SIGNS.			
29	S	St. Peter and St. Paul	4 25 7 40	2 47	4 31 7 35	2 51	
30	M	Wm. H. Taft Chief Justice, 1921	4 26 7 40	3 25	4 31 7 35	3 29	

WEATHER PREDICTIONS.—1-3, heavy gales; 4-8, variable; 9-12, clear and warm; 13-17, clear and pleasant; 18-21, storm wave; 22-25, changeable; 26-30, hot and sultry.


Barker, Moore & Mein Medicine Co. Philadelphia, Pa. HILLTOP FARM, RADNOR, PA. Oct. 1st, 1923
DEAR SIRS:—
Having raised my chicks the past season on Barker's Baby Chick Mash I cannot recommend it too highly to other Poultry men. It produces strong, healthy, and big bone chicks.
I wish to state that I also raised my turkeys on it with greatest success. For turkeys it should be dampened a little so it will take up.
Barker's Special Poultry Remedy has also been a great aid to me with small chicks as well as laying hens. With best wishes, I remain
Very truly yours, TIMOTHY QUINLAN, Mgr.

GAPES ARE DEADLY UNLESS
CHECKED. STOP THEM WITH
BARKER'S GAPE REMEDY



HEN HEALTH IS EGG PROFIT

In general hens suffer from various disorders other than those ordinarily indicated by outward symptoms.
Chief among these internal disorders will be found liver trouble. This is not always the real trouble when casual diagnosis so indicates: internal tumors, ruptured oviduct (egg passage), gangrenous affections, lung collapse, fatty degeneration of the heart, bacterial enteritis, and other ailments may be mistaken for liver trouble. Yet every one of these ailments can be induced by internal derangement of some portion of the intestinal or digestive system.
Because all of the ailments above can be controlled by ordinary remedies, known to practical poultry men who have a knowledge of the medicinal properties of certain chemical and organic substances, these ailments are now held in check on well regulated farms raising poultry.
For the purpose of holding in check general ailments of the hen and for keeping her in perfect health Barker's Special Poultry Remedy was designed: it has been so successful for so many years that its goodness and efficiency is accepted by poultry raisers everywhere.
Most of the hen's ailments can be checked and relieved thru the use of Barker's Special Poultry Remedy — it contains the elements that the hen needs to keep her healthy and highly productive throughout her life.
BARKER'S SPECIAL POULTRY REMEDY
is the hen's best insurance against disease and makes more eggs.



HEAL CUTS, SORES,
SCALDS, BURNS WITH

BARKER'S HEALING OINTMENT

IT SOOTHES

BARKER'S SPECIAL POULTRY REMEDY

a regulator and tonic,
is sold in 25c., 35c. and
\$1.25 size packages and in 12-pound pails, and in 25-pound pails. Ask your dealer today.

SPRAY against disease in humans and animals. Use **BARKER'S DISINFECTANT**

7th Month			JULY, 1924									31 Days			
Phas.	BOSTON	NEW YORK	WASH'TON	MOON'S SIGNS.			LATITUDE OF NORTHERN STATES			LATITUDE OF MIDDLE STATES			LATITUDE OF SOUTHERN STATES		
N. M.	2 0 35 M.	0 35 M.	0 35 M.	SUN	MOON	SETS	SUN	MOON	SETS	SUN	MOON	SETS	SUN	MOON	SETS
F. O.	9 4 46 A.	4 46 A.	4 46 A.	RISE	RISE	ACTS	RISE	RISE	ACTS	RISE	RISE	ACTS	RISE	RISE	ACTS
F. M.	16 6 49 M.	6 49 M.	6 49 M.	H	H	H	H	H	H	H	H	H	H	H	H
L. O.	23 11 36 M.	11 36 M.	11 36 M.	SUN	MOON	SETS	SUN	MOON	SETS	SUN	MOON	SETS	SUN	MOON	SETS
N. M.	31 2 42 A.	2 42 A.	2 42 A.	RISE	RISE	ACTS	RISE	RISE	ACTS	RISE	RISE	ACTS	RISE	RISE	ACTS
Historical Events															
1	T	Battle of Santiago, 1898													
2	W	Dempsey def. Carpentier, 1921													
3	T	John F. Wallace died, 1921													
4	F	Independence Day													
5	S	Huerta elected President, 1914													
27. 3d Sunday after Trinity. Day's Length—15h. 10m.—14h. 59m.—14h. 14m.															
6	S	Hawaii ceded to U. S., 1898													
7	M	Dr. J. Bertillon died, 1922													
8	T	Cruiser Amalfi sunk, 1915													
9	W	National Guard mobilized, 1917													
10	T	Russians capture Halicz, 1917													
11	F	Venice bombarded, 1915													
12	S	Horace H. Lurton died, 1914													
28. 4th Sunday after Trinity. Day's Length—15h. 2m.—14h. 52m.—14h. 8m.															
13	S	Sen. Lorimer expelled, 1912													
14	M	Lieut. Q. Roosevelt killed, 1918													
15	T	St. Swifin													
16	W	Earthquake in Los Angeles, 1920													
17	T	Franco-German War, 1870													
18	F	Marshal Foch beg. Offensive, '18													
19	S	Race Riots in Washington, 1919													
29. 5th Sunday after Trinity. Day's Length—14h. 52m.—14h. 42m.—14h. 2m.															
20	S	Gov. Len Small indicted, 1921													
21	M	Château Thierry captured, 1918													
22	T	W. K. Vanderbilt died, 1920													
23	W	Cardinal Gibbons born, 1834													
24	T	Georgia def. Wom. Suff., 1919													
25	F	St. James													
26	S	Typhoon in Luzon, 1920													
30. 6th Sunday after Trinity. Day's Length—14h. 40m.—14h. 30m.—13h. 52m.															
27	S	U. S. recognized Albania, 1922													
28	M	Arkansas rat. Wom. Suff., 1919													
29	T	Warsaw evacuated, 1915													
30	W	Explosion in New Jersey, 1916													
31	T	Fire in New Orleans, 1920													

WEATHER PREDICTIONS.—1-3, increasing cloudiness; 4-8, clear and fair; 9-13, thunder storms; 14-18, very warm; 19-22, pleasant; 23-27, local storms; 28-31, fair.

BARKER'S SPECIAL POULTRY REMEDY

A Regulator and Tonic


For Chicken Cholera, Colds, Liver Trouble and all other Poultry Ailments mix three-quarters of a pound with about eight quarts of feed and give twice or three times a week. It is an excellent article for healthy fowls and will keep them in good condition. A chicken to lay eggs must be in a healthy condition.

Wisdom lies not in looking backward—a dead horse or cow or hen is a loss—be wise to modern preventive measures.

One rousy hen will destroy a whole flock. Check mortality with

BARKER'S ROUP REMEDY

THE BARNYARD CIRCUS SHOWS PLENTY OF PEP



PUZZLE PICTURE
FIND THE RING MASTER

ROUP: ITS PREVENTION AND GENERAL RELIEF

Roup in its first stages can be relieved in many cases: in its second stage it is difficult to handle and relieve: in its third or final stage it is almost impossible to combat successfully. Prevention is far easier than an attempt to cure—primarily roup is the result of infection; colds or simple catarrh develop into roup. Draughts cause colds which later develop into roup; prevention lies in draught proof houses, dry houses and in keeping germs under control. Visitors from roup-infected poultry farms should be kept out of roup-free premises, as human clothing and shoes can and do carry roup germs.

In purchasing birds from poultrymen great care should be exercised and it should be determined before hand that the flock from which stock is purchased is free from this insidious and fatal disease.

To most effectually prevent roup after the precautions cited above are carefully taken the poultry owner should, beginning in the fall, about the first of November, regularly, at least once every five days, use Barker's Roup Remedy until the end of March. This system of prevention will probably be most effective in wiping out one of the most fatal and ruinous diseases known to poultry raisers.

Since colds are largely responsible for roup the preventive treatment above suggested and urged upon poultry men will eliminate danger from this direction.

For the relief of colds and roup in its first stages Barker's Roup Remedy is the standard and will always prove beneficial.



Sores made by collars, saddles or traces can be relieved at once with

BARKER'S HEALING OINTMENT.

DOES NOT BE SELFISH

BARKER'S

HELPED YOUR ANIMALS TELL YOUR GOOD NEIGHBORS

DOES RAISE ALL THE LIVABLE CHICKS WITH BARKER'S CHICK MASH. IT PAYS.

KEEP THE CHICKS AND HENS FREE OF VERMIN. BARKER'S LICE POWDER.

8th Month				AUGUST, 1924				31 Days				
1 Phas.	BOSTON		NEW YORK		WASH'TON		LATITUDE OF NORTHERN STATES		LATITUDE OF MIDDLE STATES		LATITUDE OF SOUTHERN STATES	
	D. H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	SUN SLOW	SUN SLOW	SUN SLOW	SUN SLOW	SUN SLOW	SUN SLOW
F. Q.	7	10	4	10	4	10	4	10	4	10	4	10
F. M.	14	3	19	3	19	3	19	3	19	3	19	3
L. Q.	22	4	10	4	10	4	10	4	10	4	10	4
N. M.	30	3	37	3	37	3	37	3	37	3	37	3
MOON'S SIGNS.												
Historical Events												
0												
M												
W												
1	F	London Police Strike, 1919										
2	S	Alexander G. Bell died, 1922										
31. 7th Sunday after Trinity. Day's Length—14h. 25m.—14h. 16m.—13h. 43m.												
3	S	France decl. War on Ger., 1914										
4	M	Americans take Fismes, 1918										
5	T	Mo. Pacific Ry. Disaster, 1922										
6	W	Steamer Alaska wrecked, 1921										
7	T	Monten. decl. War on Aus., 1914										
8	F	Louisiana ratified Prohib., 1918										
9	S	Italians take Goritz, 1916										
32. 8th Sunday after Trinity. Day's Length—14h. 8m.—14h. 1m.—13h. 32m.												
10	S	France decl. War on Austria, '14										
11	M	Andrew Carnegie died, 1919										
12	T	Engl'd decl. War on Aust., 1914										
13	W	John G. Woolley died, 1922										
14	T	China decl'd War on Ger., 1917										
15	F	Pope's Peace Appeal, 1917										
16	S	King Peter died, 1921										
33. 9th Sunday after Trinity. Day's Length—13h. 51m.—13h. 45m.—13h. 19m.												
17	S	Forest Fires in Minnesota, 1922										
18	M	Tennessee rat. Wom. Suff. 1920										
19	T	Steamer Arabic sunk, 1915										
20	W	Ser. Superior City sunk, 1920										
21	T	Poles take Soldau, 1920										
22	F	Michael Collins assass., 1922										
23	S	Ex-Sen. A. J. Hopkins d., 1922										
34. 10th Sunday after Trinity. Day's Length—13h. 32m.—13h. 28m.—13h. 0m.												
24	S	St. Bartholomew										
25	M	Peter C. Hewitt died, 1921										
26	T	Cruiser Nitaka sunk, 1922										
27	W	Aus. decl'd War on Japan, 1914										
28	T	French take Chaulnes, 1918										
29	F	Steamer Itata sank, 1922										
30	S	Austria decl'd War on Belg. 1914										
35. 11th Sunday after Trinity. Day's Length—13h. 14m.—13h. 10m.—12h. 54m.												
31	S	Senate ratified Bonus Bill, 1922										
WEATHER PREDICTIONS.—1-4, clear and fair; 5-9, thunder storms; 10-16, very warm; 17-21, cloudy and threatening; 22-26, clear and cooler; 27-31, local rains.												

BARKER'S ROUP REMEDY

In cases of Roup the fowl will become droopy, head and tail down, and in extreme cases will discharge at nose and eyes. In order to prevent spreading of the disease, the fowl should be separated immediately from all other fowls, and the roof of the mouth well sprinkled with Barker's Roup Remedy.

If You Require Information, Write Us. We Will Tell You What is What.

BABY CHICKS

THEIR CARE AND MANAGEMENT

Probably more chicks die from want of proper feed and care than from all the diseases known to poultry raisers.

From the moment chicks are ready to leave the incubator or when the hen deems it wise to permit her babies to stray from her ever watchful eye the chick should be carefully guarded against chilling.

To prevent chilling is the best insurance known against an early death of the chick—to properly, or better still, to correctly feed the chick is the only way to keep healthy and well all of the chicks that can live.

Several causes of chick death are brought about by incorrect feeding: there is no necessity for loss through the use of poor feeds and feeds that are not properly and correctly put together.


Liver trouble and diarrhoea in young chicks are the more common ailments, both of which are due to incorrect feeding and therefore both are preventable.

It must be remembered that an even, steady growth is necessary in chicks from their first meal to the age at which they lay their first egg—to secure this even growth the chick's feed must be correct from the start. Any setback, from first meal to four or five months of age, stops development, just at the moment the setback occurs, and from this setback there is never a full recovery except through patient care and feeding.

To care for the chicks' best health and to correctly develop them at the proper time, that they may be best adapted to money making, a correct and accurately milled and prepared feed must be furnished them.

Barker's Chick Mash is so milled that it is mechanically predigested, therefore it cannot and does not overtax the organs of the chick—because of the simple chemicals used in its makeup it keeps the intestinal or digestive tract so clean and working so evenly that all of the feed goes into the making of bone, flesh and feathers.

Every chick that comes out of its shell alive and active will live and thrive on Barker's Chick Mash.



Place Barker's Chick Mash dry in a suitable hopper and keep before the chicks all of the time—in the afternoon, an hour or so before bed time for the chicks, feed a scratch grain mixture small enough for them to swallow without difficulty.

After the tenth day from their first meal add to the Barker's Chick Mash 5% beef scrap and when twenty days old add 7½%.

To wean the chicks at the end of six weeks add to the Barker's Chick Mash one fourth its weight of good laying mash, equally as good in development quality as Barker's Laying Mash, increasing by one quarter of Laying Mash every other day until the Chick Mash is wiped out.

From the very start of the chick's feeding period see that the chick always can get green feed, such as grass, clover, etc.

Barker's means the best that can be secured to prevent and avoid ailments—seventy years of positive results is the best testimonial. Prevent.

Caked Udder Can Be Relieved with BARKER'S HEALING OINTMENT. Rub the Udder with the Hand Covered with BARKER'S HEALING OINTMENT

USED FOR 70 YEARS. RUB IT IN. BARKER'S LINIMENT IT WON'T BURN

9th Month		SEPTEMBER, 1924				30 Days								
1 Phas.	BOSTON		NEW YORK		WASHINGTON		MOON'S SIGNS.	LATITUDE OF NORTHERN STATES	LATITUDE OF MIDDLE STATES	LATITUDE OF SOUTHERN STATES				
	D.	H. M.	H. M.	H. M.	H. M.	H. M.								
F. Q.	6	3 45 M.	3 45 M.	3 45 M.	3 45 M.	3 45 M.								
F. M.	13	2 0 M.	2 0 M.	2 0 M.	2 0 M.	2 0 M.								
L. Q.	20	10 35 A.	10 35 A.	10 35 A.	10 35 A.	10 35 A.								
N. M.	28	3 16 A.	3 16 A.	3 16 A.	3 16 A.	3 16 A.								
D. M.	D. W.	Historical Events				Sun rises	Sun sets	Moon sets	SUN EAST	Sun rises	Sun sets	Moon sets		
1	M	Bulg. decl. War on Roum., 1916				5 24	6 35	8 4	5 26	6 33	8 4	5 34	6 26	8 7
2	T	Sedan surrendered, 1870				5 25	6 33	8 37	5 27	6 32	8 38	5 35	6 24	8 45
3	W	Pope Benedict XV. elect., 1914				5 26	6 32	9 12	5 28	6 30	9 14	5 35	6 23	9 25
4	T	Bomb Expl. Chicago P. O., 1918				5 27	6 30	9 50	5 29	6 28	9 53	5 36	6 22	10 8
5	F	Sen. LaFollette renom., 1922				5 28	6 28	10 33	5 30	6 27	10 37	5 36	6 20	10 54
6	S	President McKinley shot, 1901				5 29	6 27	11 22	5 31	6 25	11 26	5 37	6 19	11 46
36. 12th Sunday after Trinity.		Day's Length—12h. 55m.—12h. 52m.—12h. 40m.												
7	S	John G. Whittier died, 1892				5 30	6 25	morn	5 32	6 24	morn	5 38	6 18	morn
8	M	Schooner Majestic lost, 1921				5 32	6 23	0 17	5 33	6 22	0 21	5 38	6 16	0 42
9	T	E. H. Harriman died, 1909				5 33	6 22	1 18	5 34	6 20	1 22	5 39	6 15	1 42
10	W	Cloudburst in Texas, 1921				5 34	6 20	2 24	5 35	6 18	2 28	5 39	6 14	2 45
11	T	Storm in Santo Domingo, 1921				5 35	6 18	3 32	5 36	6 17	3 35	5 40	6 12	3 49
12	F	Americans take St. Mihiel, 1918				5 35	6 16	4 40	5 37	6 15	4 42	5 41	6 11	4 53
13	S	Fire in Long Island City, 1919				5 37	6 14	rises	5 38	6 14	rises	5 42	6 10	rises
37. 19th Sunday after Trinity.		Day's Length—12h. 35m.—12h. 33m.—12h. 26m.												
14	S	President McKinley died, 1901				5 38	6 13	7 13	5 39	6 12	7 13	5 42	6 8	7 16
15	M	Riots in Belfast, 1921				5 39	6 11	7 43	5 40	6 10	7 44	5 43	6 7	7 50
16	T	Explosion in New York, 1920				5 40	6 9	8 13	5 41	6 9	8 15	5 44	6 8	8 25
17	W	Ember day				5 41	6 7	8 44	5 42	6 7	8 47	5 44	6 4	9 0
18	T	Germans bombard Reims, 1914				5 42	6 6	9 18	5 43	6 6	9 22	5 45	6 3	9 38
19	F	Ember day				5 43	6 4	9 56	5 44	6 4	10 0	5 46	6 2	10 18
20	S	Ember day				5 44	6 2	10 38	5 45	6 2	10 42	5 46	6 0	11 2
38. 14th Sunday after Trinity.		Day's Length—12h. 15m.—12h. 14m.—12h. 12m.												
21	S	St. Matthew				5 45	6 0	11 24	5 46	6 0	11 28	5 47	5 59	11 49
22	M	Robert Hoe died, 1909				5 46	5 59	morn	5 47	5 59	morn	5 48	5 58	morn
23	T	Autumn begins				5 47	5 57	0 15	5 48	5 57	0 19	5 48	5 56	0 39
24	W	Germans attack Dvinsk, 1915				5 49	5 55	1 10	5 49	5 55	1 14	5 49	5 55	1 32
25	T	John M. Palmer died, 1900				5 50	5 53	2 10	5 50	5 54	2 13	5 49	5 54	2 29
26	F	Sen. Thos. E. Watson d., 1922				5 51	5 52	3 13	5 51	5 52	3 16	5 50	5 52	3 28
27	S	Bulgaria seeks Armistice, 1918				5 52	5 50	4 17	5 52	5 50	4 19	5 51	5 51	4 26
39. 15th Sunday after Trinity.		Day's Length—11h. 55m.—11h. 55m.—11h. 59m.												
28	S	Omaha Race Riots, 1919				5 53	5 48	sets	5 53	5 48	sets	5 51	5 50	sets
29	M	Michaelmas day				5 54	5 46	6 37	5 54	5 47	6 38	5 52	5 48	6 42
30	T	Fire in Galveston, 1920				5 55	5 45	7 10	5 55	5 45	7 12	5 53	5 47	7 21
WEATHER PREDICTIONS.—1-4, clear and pleasant; 5-8, light frosts; 9-12, cloudy and stormy; 13-17, local frosts; 18-21, clear and fair; 22-23, unsettled; 26-30, pleasant.														

BARKER'S NERVE AND BONE LINIMENT

For Man or Beast

For Rheumatism, Sprains, Bruises, Stiff Joints, Lameness, Corns, Contraction of the Muscles, Weakness of the Joints, Hip-Joint Lameness, Shoulder-Joint Lameness, Caked Breasts, Swelled Legs, Wind Burns, Boils, Shoe Bole and Other Complaints that require local treatment.

External Treatment for Non-Diphtheritic Sore Throat—Rub the throat with the Liniment, then pour some on a piece of flannel or muslin and bind it around the throat with another piece of muslin. Does not burn or blister.

ALL FARM STOCK CAN BE KEPT IN BEST CONDITION WITH BARKER'S REMEDIES

Help your baby chicks to pass through the most trying periods of their lives by using

BARKER'S CHICK MASH

which will make their frames strong and their bodies fat.

THE HORSE

COLIC (Wind Colic):—Indigestion. Spasmodic Colic—Due to different causes; drink of cold water, causing spasm of the bowel, twist of the bowel volvulus. Animal paws with fore feet, will lie down, roll, get up, change position frequently; restless. Give drench of two tablespoonfuls of table salt and one tablespoonful of bicarbonate of soda dissolved in one quart of warm water. Also use a syringe and give an injection of warm soap water (a couple of gallons) into the rectum and repeat if the animal expels the injection, but do not insert the hand or arm. Give two tablespoonfuls of **Barker's Horse and Cattle Powder** twice daily in feed for the first week, then one tablespoonful of **Barker's Horse and Cattle Powder** in feed for second week.

HEAVES:—Also known as Pulmonary Emphysema. Double expiration, nostrils dilated as if the animal had been driven rapidly. Cough (moist) and often frothy discharge from the nostril; breathes noisily. Dampen feed with lime water. Do not give bulky feed. Feed one tablespoonful of beef suet daily. Give **Barker's Horse and Cattle Powder**, one tablespoonful twice daily in feed.

WORMS-BOTS:—Give drench of one and one-half ounces spirits of turpentine mixed with one and one-half pints of linseed oil. Follow drench with bran mash; give one tablespoonful of **Barker's Horse and Cattle Powder** twice daily in feed for a couple of weeks.

STAGGERS (Stomach):—Give one-half pound of Epsom salts dissolved in quart of warm water, or one-half cup of table salt to one quart of warm water. Then give for first two days two tablespoonfuls of **Barker's Horse and Cattle Powder** twice daily in feed; then reduce to one tablespoonful of **Barker's Horse and Cattle Powder** twice daily in feed.

VERTIGO:—Give purgative of one-half pound of Glauber salts dissolved in quart of warm water; give **Barker's Horse and Cattle Powder**, two tablespoonfuls twice daily in the feed for the first week, reducing to one tablespoonful of **Barker's Horse and Cattle Powder** twice daily in the feed for the second week.

HEAT STROKE AND EXHAUSTION:—Place cracked ice in bag on the horse's head; apply cold water to body to reduce temperature, using stimulant of four ounces of grain alcohol and four ounces of water; repeat dose in fifteen minutes or one-half hour, if necessary. Then give **Barker's Horse and Cattle Powder** two tablespoonfuls, twice daily in the feed for the first week, reducing to one tablespoonful of **Barker's Horse and Cattle Powder** twice daily in the feed for the second week.

LARYNGITIS AND PHARYNGITIS:—The horse will have cough and will show difficulty in swallowing, loss of appetite and frothy discharge from nose. Steam with pine tar and hot water and apply **Barker's Nerve and Bone Liniment** to horse's throat. Give **Barker's Horse and Cattle Powder**, one tablespoonful, twice daily in the feed.

DIARRHOEA:—Give horse drench of one-half pint castor oil mixed with four ounces of essence of ginger. Give rye flour, even browned. Give **Barker's Horse and Cattle Powder**, one tablespoonful, twice daily in the feed. Do not give horse any cold water.

AZOTURIA, DARK WATER, PARALYSIS:—If animal should remain in stable for any reason, as from injury or during holiday, then give one tablespoonful of **Barker's Horse and Cattle Powder** twice daily in feed as laxative. Before putting horse to work give it exercise.



SCOURS PULL FLESH OFF CALVES : KEEP THEM GROWING AND HEALTHY ON

BARKER'S

A Run Down Horse, Cow, Hog, Sheep or Hen Contracts Any Disease Quickly. Ward off Sickness, Trouble and Probable Loss by Using BARKER'S.

MAKE YOUR DEALER FURNISH YOU WHAT YOU WANT. INSIST ON BARKER'S PRODUCTS

10th Month OCTOBER, 1924 31 Days

Phas.	BOSTON			NEW YORK			WASH. TON			LATITUDE OF NORTHERN STATES	LATITUDE OF MIDDLE STATES	LATITUDE OF SOUTHERN STATES
	D. H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.				
F. O.	5	9	30 M.	9	30 M.	9	30 M.	9	30 M.			
F. M.	12	3	21 A.	3	21 A.	3	21 A.	3	21 A.			
L. O.	20	5	54 A.	5	54 A.	5	54 A.	5	54 A.			
N. M.	28	1	57 M.	1	57 M.	1	57 M.	1	57 M.			
D. M. O.	Historical Events											
1 W	Earthquake in Utah, 1921											
2 T	Riots in Italy, 1921											
3 F	Allied-Turk Truce signed, 1922											
4 S	Steamer Gallia sunk, 1916											
40. 16th Sunday after Trinity. Day's Length—11h. 35m.—11h. 37m.—11h. 44m.												
5 S	Forest Fires in Ontario, 1922											
6 M	Germans ask for Armistice, 1918											
7 T	Battle of Argonne Forest, 1918											
8 W	Wilson rejects Armistice, 1918											
9 T	Germans occupy Antwerp, 1914											
10 F	Belgrade captured, 1915											
11 S	Henri Fabre died, 1915											
41. 17th Sunday after Trinity. Day's Length—11h. 15m.—11h. 19m.—11h. 37m.												
12 S	Sen. Knox died, 1921											
13 M	Fire in Charleston, 1921											
14 T	Theo. Roosevelt shot, 1912											
15 W	Sen. J. P. Dolliver died, 1910											
16 T	Fire in Washington, D. C., 1920											
17 F	Gov. Sulzer removed, 1913											
18 S	St. Luke, Evangelist											
42. 18th Sunday after Trinity. Day's Length—10h. 58m.—11h. 0m.—11h. 16m.												
19 S	Italy decl. War on Bulgaria, 1915											
20 M	Prem. of Portugal assass., 1921											
21 T	San Francisco Earthquake, 1868											
22 W	Sarah Bernhardt born, 1844											
23 T	Riots in Athlone, 1920											
24 F	Bulgars capture Veles, 1915											
25 S	Tampa, Fla. inundated, 1921											
43. 19th Sunday after Trinity. Day's Length—10h. 38m.—10h. 42m.—11h. 4m.												
26 S	Brazil decl. War on Ger., 1917											
27 M	New York Subway open, 1904											
28 T	St. Simon and St. Jude											
29 W	Austria negotiates for Peace, '18											
30 T	Vice-Pres. Sherman died, 1911											
31 F	Hallowe'en. Turkey surr., 1918											

WEATHER PREDICTIONS.—1-3, local rains; 4-8, clear and pleasant; 9-11, storm period; 12-16, killing frosts; 17-21, cool and pleasant; 22-25, strong gales; 26-31, rain.


BARKER'S HEALING OINTMENT

It is a remedy for old sores, for galls or blisters brought about by the rubbing of the collar or other parts of the harness or saddle, also for cuts, cracks, scratches, etc. Can also be used by human beings for sores, chafes, blisters, abrasions, bites, itching, stings of insects, chapped hands, frost bites, piles, etc.

Seventy Years of Helpfulness to Farm Stock Users Means Meritorious Products

Animals have pains, sprains and blisters. Relieve them with **Barker's Nerve & Bone Liniment**

THE MOVIE THEATRE ATTRACTS ALL THE SWELLS IN THE VILLAGE



HOGS

WORMS:—Give one-half tablespoonful of Barker's Horse and Cattle Powder in feed twice daily.
DIARRHOEA:—Give one-half tablespoonful of Barker's Horse and Cattle Powder in feed twice daily.
Barker's Dip and Disinfectant is specially designed for dipping cattle, hogs and sheep and for mange, scab, lice, ringworm, etc.

SHEEP

FOOT ROT:—Paint with Ethylodine and follow with Barker's Healing Ointment.
DIARRHOEA:—Give one-half tablespoonful of Barker's Horse and Cattle Powder in feed twice daily. Barker's Dip and Disinfectant is specially designed for dipping cattle, hogs and sheep and for mange, scab, lice, ringworm, etc.

DOGS

Handling—The average farm dog has few diseases if fed at home. Dogs that are permitted to roam and pick up decaying or decayed dead animals will, if they contract ptomaines from eating such animals, die. Dogs are too valuable as animal drivers and guardians of the home and stables to be allowed to die. An occasional dose of Barker's Horse and Cattle Powder, about one teaspoonful to a dog weighing 25 to 40 lbs., will keep them in condition and this is especially true of females kept for brood purposes.
Barker's Lice Powder, rubbed into the hair, will materially help rid dogs of fleas.

When in Doubt About a Remedy for Ailing Animals Seek BARKER'S and Find Genuine Relief. It Will Pay Big to Keep BARKER'S on Hand.

BARKER'S

A HEALTHY COW IS A BIG MILK GIVER. KEEP HER IN TOP CONDITION WITH

11th Month		NOVEMBER, 1924				30 Days						
Phas.	BOSTON	NEW YORK	WASH. TON	LATITUDE OF NORTHERN STATES			LATITUDE OF MIDDLE STATES			LATITUDE OF SOUTHERN STATES		
F. Q.	D. H. M.	H. M.	H. M.	Sun rises	Sun sets	Moon sets	Sun rises	Sun sets	Moon sets	Sun rises	Sun sets	Moon sets
3	5 18 A.	5 18 A.	5 18 A.	6 34	4 53	10 8	6 31	4 56	10 12	6 18	5 9	10 51
11	7 31 M.	7 31 M.	7 31 M.	6 35	4 52	11 14	6 32	4 55	11 18	6 19	5 8	11 34
19	0 38 A.	0 38 A.	0 38 A.	6 36	4 51	morn	6 33	4 54	morn	6 20	5 7	morn
26	0 15 A.	0 15 A.	0 15 A.	6 38	4 49	0 20	6 34	4 53	0 23	6 21	5 6	0 36
				6 39	4 48	1 25	6 36	4 52	1 27	6 22	5 6	1 30
				6 40	4 47	2 29	6 37	4 50	2 30	6 23	5 5	2 35
				6 41	4 46	3 32	6 38	4 49	3 32	6 24	5 4	3 33
	Historical Events											
	All Saints' Day			Day's Length—10h. 19m.—10h. 25m.—10h. 51m.								
	44. 20th Sunday after Trinity.											
	Sen. Harding elected Pres. 1920											
	Premier Hara assassinated, 1921											
	Allied Terms sent to Ger., 1918											
	Maine ratified Wom. Suff., 1919											
	Brooklyn Factory Fire, 1915											
	Boston Elevated Disaster, 1916											
	Revolution in Berlin, 1918											
	45. 21st Sunday after Trinity.			Day's Length—10h. 2m.—10h. 9m.—10h. 39m.								
	Kaiser Wilhelm abdicates, 1918											
	Tornado in the Northwest, 1915											
	Ger. accept Armistice Terms, '18											
	Disarm. Conference opens, 1921											
	Cherry Mine Disaster, 1909											
	Booker T. Washington d., 1915											
	Henryk Sienkiewicz died, 1916											
	46. 22d Sunday after Trinity.			Day's Length—9h. 40m.—9h. 55m.—10h. 23m.								
	Chicago Fed. Res. Bank open, '14											
	British occupy Jaffa, 1917											
	Hay-Pauncetote Treaty, 1901											
	Robert J. Burdett died, 1914											
	Tidal Wave in Jamaica, 1912											
	Emp. Franz Joseph died, 1916											
	Jack London died, 1916											
	47. 23d Sunday after Trinity.			Day's Length—9h. 33m.—9h. 41m.—10h. 19m.								
	Vera Cruz evacuated, 1914											
	Sir H. Maxim died, 1916											
	Andrew Carnegie born, 1837											
	Battleship Suffren sunk, 1916											
	Thanksgiving day											
	Russians elect Bolsheviks, 1917											
	Typhoon in Philippines, 1912											
	48. 1st Sunday in Advent.			Day's Length—9h. 21m.—9h. 31m.—10h. 11m.								
	St. Andrew											

WEATHER PREDICTIONS.—1-3, pleasant period; 4-7, changeable; 8-12, snow or rain; 13-16, heavy gales; 17-21, cloudy and cold; 22-26, moderating; 27-30, fair and cool.

BARKER'S GAPE REMEDY

It is not a difficult matter to know when chicks are affected from Gapes. The difficulty to breathe freely is sufficient proof. All chicks should have Barker's Gape Remedy mixed with their drinking water, and for extreme cases see full directions on our package.

It Is Our Business to Help Your Stock—Tell Us Your Troubles—We'll Do the Rest

Cleanliness in animal housing is easiest obtained with

BARKER'S DISINFECTANT

PRICE LIST

Barker's Horse and Cattle Powder

- 10 Oz. Carton \$0.20
- 20 " "30
- 41 " "60
- 5 Lb. " 1.00
- 12 " Pail 2.00
- 25 " " 3.85
- 50 " Bag 6.75
- 100 " " 13.00

Barker's Special Poultry Remedy

- 12 Oz. Carton \$0.20
- 24 " "30
- 4 Lb. "60
- 12 " Bag 1.35
- 12 " Pail 1.75
- 25 " Bag 2.80
- 25 " Pail 3.00
- 50 " Bag 5.50
- 100 " " 10.00

Barker's Nerve and Bone Liniment

- 2½ Oz. Bottle \$0.35
- 5 " "70

Barker's Gape Remedy

- 1½ Oz. Box \$0.25

Barker's Roup Remedy (either Tablet or Powder)

- 1½ Oz. Box \$0.25

Barker's Lice Powder

- 16 Oz. Sifter Top Can \$0.25

Barker's Dip and Disinfectant

- 1 Qt. Can \$0.55
- 1 Gal. " 1.60
- 5 " " 7.35
- 50 " Barrel 57.60

Barker's Poultry Disinfectant

- 1 Qt. Can \$0.55
- 1 Gal. " 1.60
- 5 " " 7.35
- 50 " Barrel 57.60

Barker's Household Disinfectant

- ½ Pt. Bottle \$0.50
- 1 " " 1.00

Barker's Healing Ointment

- 1½ Oz. Jar \$0.40

Barker, Moore & Mein Medicine Co.
543 No. ORIANNA ST. - - Philadelphia

PLEASE INCLUDE POSTAGE CHARGES WITH REMITTANCE

The Following Are a Few Testimonials Regarding
BARKER'S REMEDIES

Kregsville, Pa.
BARKER, MOORE & MEIN MEDICINE CO.
 Dear Sirs:—Have always had good results by using your Horse & Cattle Powder and it does all you claim it to do.
 Very truly yours,
 Wm. R. KROME.

Rose Hill, Va.
BARKER, MOORE & MEIN MEDICINE CO.
 Dear Sirs:—Having been a user of your products for several years I will say that I have found them worthy of all the good recommendations concerning them.

The liniment is a family necessity and the poultry and cattle tonic and powders are the best for animals.
 I can say as long as your wonderful products continue I will recommend it as the best.
 Wishing you all success, I am,

Yours very truly,
DOUGLAS CROCKETT.

Allegany, N. Y.
BARKER, MOORE & MEIN MEDICINE CO.
 Dear Sirs:—As I have used your Horse and Cattle Powder and Nerve and Bone Liniment for the last 25 years, also Dip and Disinfectant, I can say that they are the best. I can especially recommend the Nerve and Bone Liniment for rheumatism for man and beast.

Yours,
FRANK CLAYSON.

Showell, Md.
BARKER, MOORE & MEIN MEDICINE CO.
 Gentlemen:—We have had an epidemic of Chicken Cholera in this vicinity in the present season.

As a dealer handling your products we suggested the use of Barker's Special Poultry Remedy to our customers, who had tried other remedies and were losing their birds daily with this disease.

Very quickly my customers reported success and stated emphatically that Barker's Special Poultry Remedy was without an equal.

As a result of the success in the cases coming under my notice I am now recommending to all users Barker's Special Poultry Remedy and I wish you continued success in its sale.

Yours respectfully,
VANDERGRIFT & CO.

(OVER)

Saxton, Pa.
BARKER, MOORE & MEIN MEDICINE CO.
 Gentlemen:—I have used your medicines for 12 years and always get results. They do all you claim.
 Yours respectfully,
GEO. W. FIGARD.


Frankford, Del.
BARKER, MOORE & MEIN MEDICINE CO.
 Gentlemen:—About one month ago my poultry caught colds and this developed into Roup and Chicken Pox. Your Barker's Special Poultry Remedy was recommended to me and I began using it according to your directions. The results were wonderful, my hens began to look healthy and now they are gaining up in their egg production wonderfully. I can recommend your Special Poultry Remedy and Disinfectants to anyone.
 Respectfully,
SHODEST M. MURRAY.

Switzerland, Fla.
BARKER, MOORE & MEIN MEDICINE CO.
 Dear Sirs:—As the New Year of 1923 approaches upon us, I thought it my duty to tell you that your Barker's Nerve and Bone Liniment in my belief, is the best on the market today.
 Cordially yours,
LUTHER ROBERTS.

Travelers Rest, S. C.
BARKER, MOORE & MEIN MEDICINE CO.
 Gentlemen:—I want to thank you for sending me your stock and poultry remedy and I wish to tell you that it is well worth the price I paid for it, as it is a wonderful remedy for poultry and stock.
 Yours respectfully,
W. L. THOMAS.

Sevierville, Tenn.
BARKER, MOORE & MEIN MEDICINE CO.
 Gentlemen:—We have been selling Barker's Horse and Cattle Powder ever since we have been in business and think that it is the best on the market, as it always gives good results.
 Yours respectfully,
M. F. NICHOLS & SON.

Keep **BARKER'S PRODUCTS** Handy and Let Them Assist Nature in Removing the Cause of Some Ailment That May Kill a Valuable Animal



A Brookmead Bred Bull Calf, Brookmead Farm, Devon, Pa.

BULL CALVES FOR FUTURE HERD Sires

should be so finely finished that they will bring top prices on general excellence of condition, thriftiness, sturdiness, clean coats, smooth, sleek appearance and general well being, at six months of age.

The foremost herds in the country market their bull calves early for good prices. The average farmer can get the same results in finished condition by feeding Barker's Horse and Cattle Powder.

Barker, Moore & Mein Medicine Co. Philadelphia, Pa.

October 13th, 1923

GENTLEMEN:—With a hatch of chickens out last spring I began using your Barker's Chick Mash, after I had lost several youngsters and the rest of the hatch were a sorry looking lot.

Almost instantly they showed improvement and now, October 13th, 1923, they are, as pullets, the finest lot of stock I have ever raised. They are big sturdy pullets, laying well and I expect to have more eggs this winter than I have ever had before.

Your Barker's Laying Mash succeeded the Chick Mash and to its use I ascribe their wonderful growth this summer. Every third day I add Barker's Special Poultry Remedy to the Laying Mash. It is with great pleasure that I recommend the use of Barker's Special Poultry Remedy and Barker's Chick and Laying Mash to other poultrymen.

Yours truly,
CORNELIUS McDERMOTT
 Poultry Manager for E. H. MORRIS,
 Wynnefield, Pa.

Take the Safe Way and Trust Not to Luck. Proof Seventy Years Old Must Convince Anyone That BARKER'S Will Do All Claimed for It.

When Ordering Goods Direct, When Your Dealer Cannot Supply Your Requirements, Please Add Sufficient to Pay Postage as per the Rates in This Table. Cans of Disinfectants are not Mailable—These Will be Shipped by Freight or Express as Ordered.

THOUSANDS OF SATISFIED USERS OF **BARKER'S PRODUCTS** CAN TELL YOU HOW WELL WE SERVE THEM

12th Month **DECEMBER, 1924** 31 Days

1 Phas.		BOSTON	NEW YORK	WASH'TON	LATITUDE OF NORTHERN STATES			LATITUDE OF MIDDLE STATES			LATITUDE OF SOUTHERN STATES		
D.	H. M.	H. M.	H. M.	H. M.	Sun rises	Sun sets	Moon sets	Sun rises	Sun sets	Moon sets	Sun rises	Sun sets	Moon sets
				MOON'S SIGNS.									
F.	Q.	3 4 10 M.	4 10 M.	4 10 M.									
F.	M.	11 2 3 M.	2 3 M.	2 3 M.									
L.	Q.	19 5 11 M.	5 11 M.	5 11 M.									
N.	M.	25 10 46 A.	10 46 A.	10 46 A.									
Historical Events													
D.	M.												
1	M	Food Riots in Vienna, 1921											
2	T	Austrians take Belgrade, 1914											
3	W	S. Dakota rat. Wom. Suff., 1919											
4	T	Pres. Wilson sails for France, 1918											
5	F	John D. Archbold died, 1916											
6	S	St. Nicholas											
49. 2d Sunday in Advent. Day's Length—9h. 19m.—9h. 23m.—10h. 5m.													
7	S	Strike Riot in Chicago, 1921											
8	M	Earthquake in Tokio, 1921											
9	T	William Deering died, 1913											
10	W	Big Fire in New Orleans, 1921											
11	T	Euphrates Dam finished, 1913											
12	F	Ger'y offers Peace Terms, 1916											
13	S	Wilson arrived in France, 1918											
50. 3d Sunday in Advent. Day's Length—9h. 7m.—9h. 17m.—10h. 1m.													
14	S	George Washington died, 1799											
15	M	Whitelaw Reid died, 1912											
16	T	Russians surr. to Germans, 1917											
17	W	Ember day											
18	T	Wilson's Peace Appeal, 1916											
19	F	Ember day											
20	S	Ember day											
51. 4th Sunday in Advent. Day's Length—9h. 5m.—9h. 15m.—10h. 0m.													
21	S	Winter begins. St. Thomas											
22	M	Villa Forces in Torreón, 1916											
23	T	Eug. V. Debs pardoned, 1921											
24	W	Ohio River Floods, 1921											
25	T	Christmas Day											
26	F	St. Stephen											
27	S	St. John, Evangelist											
52. 1st Sunday after Christmas. Day's Length—9h. 6m.—9h. 17m.—10h. 1m.													
28	S	Innocents. W. Wilson b., 1856											
29	M	Fire at Messina, 1910											
30	T	Steamer Persia sunk, 1915											
31	W	U. S. res. relat. with Ger., 1921											

WEATHER PREDICTIONS.—1-3, clear and mild; 4-9, cloudy and cold; 10-15, rain, sleet or snow; 16-20, pleasant; 21-24, intense cold; 25-28, unsettled; 29-31, heavy snow.

BARKER'S POULTRY DISINFECTANT

A Disinfectant to use in the poultry house to guard against Mites, Lice, Cholera, Roup, etc. Also good for household use. Directions on Can.

BARKER'S CHICK MASH


Barker's Chick Mash is composed of ingredients necessary for the building of bone and muscle. The first few weeks in a chick's life are the most important ones. Give your Baby Chicks a chance to develop by feeding Barker's Chick Mash.

Get **BARKER'S** More Eggs Makes Them Lay. You Get More Profit

PARCEL POST ZONE RATES—(Domestic Mail Matter)

Weight in Pounds	Local	1st Zone	2d Zone	3d Zone	4th Zone	5th Zone	6th Zone	7th Zone	8th Zone
		Up to 50 Miles	50 to 150 Miles	150 to 300 Miles	300 to 600 Miles	600 to 1000 MI.	1000 to 1400 MI.	1400 to 1800 MI.	Over 1800 MI.
1	\$.05	\$.05	\$.05	\$.06	\$.07	\$.08	\$.09	\$0.11	\$0.12
2	.06	.06	.06	.07	.08	.09	.10	.12	.13
3	.07	.07	.07	.08	.10	.11	.12	.14	.15
4	.08	.08	.08	.10	.12	.13	.14	.16	.17
5	.09	.09	.09	.11	.13	.14	.15	.17	.18
6	.10	.10	.10	.12	.14	.15	.16	.18	.19
7	.11	.11	.11	.13	.15	.16	.17	.19	.20
8	.12	.12	.12	.14	.16	.17	.18	.20	.21
9	.13	.13	.13	.15	.17	.18	.19	.21	.22
10	.14	.14	.14	.16	.18	.19	.20	.22	.23
11	.15	.15	.15	.17	.19	.20	.21	.23	.24
12	.16	.16	.16	.18	.20	.21	.22	.24	.25
13	.17	.17	.17	.19	.21	.22	.23	.25	.26
14	.18	.18	.18	.20	.22	.23	.24	.26	.27
15	.19	.19	.19	.21	.23	.24	.25	.27	.28
16	.20	.20	.20	.22	.24	.25	.26	.28	.29
17	.21	.21	.21	.23	.25	.26	.27	.29	.30
18	.22	.22	.22	.24	.26	.27	.28	.30	.31
19	.23	.23	.23	.25	.27	.28	.29	.31	.32
20	.24	.24	.24	.26	.28	.29	.30	.32	.33
21	.25	.25	.25	.27	.29	.30	.31	.33	.34
22	.26	.26	.26	.28	.30	.31	.32	.34	.35
23	.27	.27	.27	.29	.31	.32	.33	.35	.36
24	.28	.28	.28	.30	.32	.33	.34	.36	.37
25	.29	.29	.29	.31	.33	.34	.35	.37	.38
26	.30	.30	.30	.32	.34	.35	.36	.38	.39
27	.31	.31	.31	.33	.35	.36	.37	.39	.40
28	.32	.32	.32	.34	.36	.37	.38	.40	.41
29	.33	.33	.33	.35	.37	.38	.39	.41	.42
30	.34	.34	.34	.36	.38	.39	.40	.42	.43
31	.35	.35	.35	.37	.39	.40	.41	.43	.44
32	.36	.36	.36	.38	.40	.41	.42	.44	.45
33	.37	.37	.37	.39	.41	.42	.43	.45	.46
34	.38	.38	.38	.40	.42	.43	.44	.46	.47
35	.39	.39	.39	.41	.43	.44	.45	.47	.48
36	.40	.40	.40	.42	.44	.45	.46	.48	.49
37	.41	.41	.41	.43	.45	.46	.47	.49	.50
38	.42	.42	.42	.44	.46	.47	.48	.50	.51
39	.43	.43	.43	.45	.47	.48	.49	.51	.52
40	.44	.44	.44	.46	.48	.49	.50	.52	.53
41	.45	.45	.45	.47	.49	.50	.51	.53	.54
42	.46	.46	.46	.48	.50	.51	.52	.54	.55
43	.47	.47	.47	.49	.51	.52	.53	.55	.56
44	.48	.48	.48	.50	.52	.53	.54	.56	.57
45	.49	.49	.49	.51	.53	.54	.55	.57	.58
46	.50	.50	.50	.52	.54	.55	.56	.58	.59
47	.51	.51	.51	.53	.55	.56	.57	.59	.60
48	.52	.52	.52	.54	.56	.57	.58	.60	.61
49	.53	.53	.53	.55	.57	.58	.59	.61	.62
50	.54	.54	.54	.56	.58	.59	.60	.62	.63
51	.55	.55	.55	.57	.59	.60	.61	.63	.64
52	.56	.56	.56	.58	.60	.61	.62	.64	.65
53	.57	.57	.57	.59	.61	.62	.63	.65	.66
54	.58	.58	.58	.60	.62	.63	.64	.66	.67
55	.59	.59	.59	.61	.63	.64	.65	.67	.68
56	.60	.60	.60	.62	.64	.65	.66	.68	.69
57	.61	.61	.61	.63	.65	.66	.67	.69	.70
58	.62	.62	.62	.64	.66	.67	.68	.70	.71
59	.63	.63	.63	.65	.67	.68	.69	.71	.72
60	.64	.64	.64	.66	.68	.69	.70	.72	.73
61	.65	.65	.65	.67	.69	.70	.71	.73	.74
62	.66	.66	.66	.68	.70	.71	.72	.74	.75
63	.67	.67	.67	.69	.71	.72	.73	.75	.76
64	.68	.68	.68	.70	.72	.73	.74	.76	.77
65	.69	.69	.69	.71	.73	.74	.75	.77	.78
66	.70	.70	.70	.72	.74	.75	.76	.78	.79
67	.71	.71	.71	.73	.75	.76	.77	.79	.80
68	.72	.72	.72	.74	.76	.77	.78	.80	.81
69	.73	.73	.73	.75	.77	.78	.79	.81	.82
70	.74	.74	.74	.76	.78	.79	.80	.82	.83


If your dealer does not have our goods send us his name and we will try to have him keep a stock to supply you and other users.



BARKER'S POULTRY DISINFECTANT

A disinfectant to use in the poultry house to guard against mites, lice, cholera, roup and all other diseases. Directions on can.

Barker's Horse and Cattle Powder



LILLIE PAUL—Registered, number 17402. Born January 10th, 1904. Owned by Harriton Farms, Bryn Mawr, Pa. Fred Huggler, Owner and Manager.

FELLOW-BREEDERS:—

Whoa! Put on the brakes and stop here awhile. I'd like to pass on the story of my experience with Guernseys in the hope that it will help you with your herd. Harriton Farm sits on a hill. But I didn't need that fact to tell me I was going to have an uphill fight on my hands when, in 1908, I took over the management of the farm. The place was badly run down due to renters who took everything off and put nothing on the land.

Under my management grade cows were first used to stock the farm but these "grades" were carefully selected to conform as much as possible to Guernsey standard. They were not a collection of all colors and coughs. Still, good though they were, I was not satisfied and early in the game resolved to work the herd up to the purebred class. There were times when it was hard climbing, the grade pretty stiff. Diseases, which every breeder has to contend with and which often takes years to overcome, cropped out and took the joy out of life. Then my "vet", a man of the highest standing in his profession, recommended the using of **Barker's Horse and Cattle Powder**. Like the Scotchman, I had "m'doots" of any Condition Powder. However, I started using Barker's and now—why friends, I take an occasional dose of it myself!

The results from the "grades", brought to A-1 condition by the use of Barker's, gradually permitted the buying of more and more purebred stock. Then came a chance for me to rent the farm at Harriton and go it alone. One of my first purchases towards the ideal of purebred stock had been Lillie Paul 17402, so Lillie Paul now came under my ownership. Lillie Paul is now in her twenty-first year, in perfect health and ready to drop her twenty-second calf in a few days.

(Continued on next page)

DON'T BE
SELFISH

BARKER'S

HELPED YOUR ANIMALS—TELL
YOUR GOOD NEIGHBORS

Time was when I thought of disposing of the old cow but something made me keep her on. She has amply justified my faith in her. When I started feeding her **Barker's Horse and Cattle Powder**, Lillie Paul got a new sparkle in her eyes and began to show that she was far from being a "has-been." Barker's brought her into such splendid condition that I decided to put her on A. R. test. She started her test at the age of eighteen years and thirty-five days. Many the time I marveled as I weighed her milk while she was on test. There were others who marveled to, when her record became known. The Guernsey, Jersey, Ayrshire and Holstein Cattle Clubs have conceded that Lillie Paul stands second to none in the matter of productiveness at her age. On finishing her test she was credited with 13864.4 pounds of milk and 540.63 pounds of butter fat. I give **Barker's Horse and Cattle Powder** credit for putting Lillie Paul in fit shape to enter the test.

I have also found the powder beneficial to calves on milk, as it prevents scouring and other calf ailments. My calves may not cry for Barker's but they certainly bawl out loud at feeding time which is a mighty good sign of their general health. The poultry at Harriton also come in for a share of Barker's. I persuaded my wife, she is the poultry "man" of the farm, to use **Barker's Special Poultry Remedy**. She did and now I needn't worry about my breakfast. Barker's sees to it that there are eggs a-plenty to go with the ham.

Now in recommending Barker's, I merely wish to pass on a good thing. I have my living to make from my cows and know whereof I speak. First I kept grades and then switched to purebreds. It pays. You have something when your cows are privileged to add an A. R. to their names. Consider the average production of cows in the U. S. It is 4,000 pounds of milk in a year. Now a purebred herd kept in good condition, which can be done by the feeding of **Barker's Horse and Cattle Powder** can with no additional feeding costs be made to produce twice that amount. Surely this is a good argument for the keeping of quality cows!

I thank you,

FRED HUGGLER,
"Harriton Farms" Bryn Mawr, Pa.

THE COW

When cows are turned into young grass and there is heavy dew they are likely to bloat. When this condition arises call a good veterinarian.


HOOVEN:—Animal stands rigid, loses cud, grinds teeth, grunts on being made to move, staring eyes, distressed look, gaseous swelling under skin on the left side or on both sides. Give drench of one pound Epsom salts and one tablespoonful bicarbonate of soda and one cupful dark molasses dissolved in one quart of warm water. Give Barker's Horse and Cattle Powder, two tablespoonfuls, twice daily in feed for the first week and one tablespoonful of **Barker's Horse and Cattle Powder** twice daily in feed for the second week.

DIARRHOEA:—The animal will have shivering fits, variable temperature of the body, arching of the back, tenderness of the loins, a furry tongue and clammy mouth. Animal grunts and grinds its teeth and at short intervals discharges a quantity of thin excrement and gaseous material, sometimes mixed with mucus and blood. Give drench of one-half pint castor oil mixed with four ounces essence of ginger. Give Barker's Horse and Cattle Powder, two tablespoonfuls, twice daily in feed. In calving time give one-half tablespoonful of Barker's Horse and Cattle Powder twice daily in feed.

MILK FEVER:—To avoid, give **Barker's Horse and Cattle Powder**, two tablespoonfuls, twice daily in feed for two or three weeks before calving time.

CAKED UDDER:—Glands swollen, one or more quarters affected. Bag hot, painful on pressure, may or may not be generalized. Loss of appetite, loss of milk, temperature rises and generally dull. Give purgative of one and one-half pounds Epsom salts and one-half pint dark molasses mixed in one quart warm water. Give **Barker's Horse and Cattle Powder** twice daily in feed for first week and one tablespoonful in feed of Barker's Horse and Cattle Powder twice daily for second week.

Disease Germs Live a Number of Years if Let Alone. Kill Them off with BARKER'S DISINFECTANTS. Both Human and Animal Disease Germs.



Another big poultry plant that uses Barker's Products to make money. Wise poultry raisers adopt methods that prove profit can be made.

DUNROAMIN FARM, ROXBOROUGH, PHILA., PA.

Barker, Moore & Mein Medicine Co.

I am glad of this opportunity to boost Barker, Moore & Mein's Remedies, especially have I used and can recommend their Poultry Remedy, Lice Powder, Roup Remedy and Disinfectant.

I have used the Poultry Remedy to tone up the bird's system and to offset cold, Roup and Bronchial troubles, and to keep up the vitality of my birds, in all kinds of weather and under all changing conditions, which we have to contend with in our location, and find that it does exactly that which is claimed for it, it helps the hens and pullets to lay naturally and keeps them in excellent condition to give the most number of eggs possible.

I am also using their other remedies mentioned and will say in all my sixteen years experience in handling poultry both for exhibition and utility they are giving me absolute satisfaction and can recommend these Remedies to the poultry world at large, not only doing exactly what the manufacturers claim for them but in many cases exceeding their claims and expectations.

Yours

ISAAC M. WALKER

formerly owner of Walker's Poultry Yards

Now Supt. Poultry, Dunroamin Farms, Inc., DR. A. A. MITTEN, Prop., E. Rex Ave., Roxborough, Phila., Pa.
Breeders of Exhibition

Barred Rocks, Buff Orpingtons, Utility S. C. White Leghorns and Light Brahmas.

For one small dollar you can buy a five pound package of Barker's Horse and Cattle Powder which will make 160 tablespoonsful, or 160 daily doses: An extra quart of milk is certainly worth 5 cents or \$8.00 for 160 days. Try it and take your profit.

PROVING IT OUT TO YOUR SATISFACTION IS THE WAY TO PERMANENT USE OF BARKER'S

THE BURLESQUE SHOW HAS A ONE NIGHT STAND IN BARKERSVILLE.



A FEW FACTS ABOUT COWS

It is natural for the cow to produce milk, but she cannot give a full and steady yield unless she is comfortably housed and properly protected from inclement weather.

Environment is the great secret. If kept, during cold weather, in a barn that is dark and gloomy, and poorly ventilated, she becomes restless, and in consequence the flow of milk is retarded.

Successful dairymen breed their cows so they may come in profit in the fall, when the yield is considerably greater. This, too, will bring the non-milking period at a time of the year when the market prices for the products are the lowest.

There is no animal that responds more quickly to kind treatment, and none that loves peace and quiet more than cows. Harsh methods keep them in constant fear, and being of a very sensitive nature this fear will hold back the milk.

Cold drinking water during winter weather is a costly mistake. Unless the water is warmed to about 60° F., the cows will not drink sufficient to keep up a good flow of milk. Water should be given at least twice a day.

One of the greatest mistakes is to keep cows on short rations during the winter and then expect them to pick up on grass the next season. The cow reduced to semi-starvation during the winter must first supply the needs of her own system before she can produce milk.

Read What Mr. Huggler Says About Cows on Page 26: his results were obtained by using Barker's Products—you can do equally well—your cows can be made to return more with Barker's Horse and Cattle Powder.

Barker's Products have stood all tests for seventy years—so many thousands of animal owners testify to Barker's merits that it is impossible to keep track of them.

Sores made by collars, saddles or traces can be relieved at once with

BARKER'S HEALING OINTMENT

RECIPES

Specially selected for Barker's Almanac—low cost, accurate recipes which will be a delight and pleasure to use

COCOA CAKE

- 1 cup sugar.
- ½ cup cocoa.
- ½ cup water.
- 3 eggs.
- ¼ teaspoon salt.
- 1 teaspoon cinnamon or flavoring to taste.
- ½ cup flour.
- 1 teaspoon baking powder.

Put the sugar, cocoa and water into bowl, stir until the sugar is dissolved; add the well-beaten yolks of eggs and cinnamon; beat 2 minutes. Sift the flour and baking powder and salt, add to the mixture; stir until smooth; beat the whites of eggs until light and dry and fold in very carefully. Pour in tube pan, which has been brushed with shortening and the bottom covered with paper. Bake in moderate oven, 45 to 50 minutes. Or bake in layer cake pans, which have been lined with paper.

SUGAR CAKE

- 2 eggs.
- 1 cup sugar.
- ½ cup boiling water.
- 1 cup flour.
- 1 teaspoon baking powder.
- Pinch of salt.

Beat the yolks of eggs and sugar together until light; add the boiling water and mix well; then add the sifted flour, baking powder and salt; mix; fold in the stiffly beaten whites of eggs very carefully. Bake in square pan, 40 to 45 minutes, or in layer cake pan 25 minutes.

RAISIN CAKE

- ¾ cup oleomargarine.
- 1½ cups sugar.
- 1 package seedless raisins.
- 1 cup milk.
- 2 eggs.
- ¾ cups flour.
- 3 teaspoons baking powder.
- ½ teaspoon grated nutmeg or ground mace or 1 teaspoon lemon or orange rind.

Cream the oleomargarine and sugar until light; then add the well-beaten yolks of eggs and mix well; add the cold milk alternately with half the sifted flour and baking powder; mix and add the raisins, which have been washed, dried and mixed with the remainder of the flour; mix lightly and add the stiffly beaten whites of eggs and fold in very carefully. Line 2 small tube pans or 1 large pan with paper or brush with oleomargarine and dust with flour, pour in the mixture and bake in moderate oven 50 to 55 minutes.

SPICE CAKE

- 1½ cups molasses.
- 1 cup brown sugar.
- ¾ cup oleomargarine or cooking oil.
- 1 cup seeded raisins.
- 1 cup seedless raisins.
- Mixed spices.
- 1 cup fruit juice or water.
- 3½ cups flour.
- 1 teaspoon baking soda.
- 1 tablespoon hot water.

Put the molasses, brown sugar and oleomargarine or cooking oil into bowl, stir until smooth and creamy; then add the baking soda dissolved in the hot water, add the fruit juice or water, spices and mix well; add half the sifted flour, then the raisins, which have been washed, dried and mixed with part of the flour; mix well and add the remainder of the flour; mix. Line 2 tube pans with paper or brush with shortening and dust with flour; pour in the mixture and bake in moderate oven 50 to 55 minutes.

PLAIN CAKE

- 5 eggs.
- 1 cup sugar.
- 1 cup flour.
- Flavoring to taste.
- A few grains of salt.

Break the eggs into bowl, add the sugar and beat 15 minutes; then add the sifted flour and salt and fold in very lightly; be sure not to stir the cake after adding the flour. Line tube pan with paper, pour in the mixture and bake in moderate oven 45 to 50 minutes. Or line layer cake pans with paper and bake in moderate oven 25 minutes.

One rousy hen will destroy a whole flock. Check mortality with

BARKER'S ROUP REMEDY


Barker, Moore & Mein Medicine Co. Philadelphia, Pa.
GENTLEMEN:—

BIG SPRING POULTRY FARM,
FRAZER, PA., Oct. 20th, 1923

We cannot speak too highly of Barker's Laying Mash and Special Poultry Remedy as we have always mixed our own mash. This summer we started feeding your mash. The birds liked it from the start. Were always eating and no waste. Increased on eggs and kept in fine condition, hens laying through the molt. At the present time we are picking up 20 dozen a day, which is 10 dozen better than any previous October. Your Special Poultry Remedy is a big help to start pullets laying and as a conditioner for the old birds. I never saw them keep in better health. Is especially good in moulting.

I also wish to say I have given your Baby Chick Mash a thorough trial and am so well pleased with same would use no other as the chicks clean it up with no waste and wonderful growth.

Barker's Special Poultry Remedy is one of the best aids to fall egg production I have ever used and also helps the birds in the moulting. Respectfully yours, F. G. BACHELLER, Mgr.



A successful poultry plant whereon is used Barker's Products to help make money.

Big profits are common where good methods are used — care and good remedies will make all poultry plants profitable.

BIG SPRING POULTRY FARM

Barker, Moore & Mein Medicine Co.

BATH, PA.
Dear Sir:—I recommend your powder as the best in the world. I have used it all my life and am 65 years old. Very truly yours, DAVID GRAVER.


Have you ten hens? Give them daily two quarts of mash, containing two tablespoonsful of Barker's Special Poultry Remedy at a cost of one cent and then collect more eggs. Two eggs more will, at 2 cents, return you 4 cents. This is good business and besides you are not paying anything for the health insurance on your hens.

Eggs and More Eggs Come From Barker's Special Poultry Remedy

Raise Most Chicks with Barker's Chick Mash. Unequaled for Production of Big Flocks.

YOUR FRIENDS MAY NEED
HELP, TELL THEM TO TRY


BARKER'S REMEDIES



BARKER'S SPECIAL POULTRY REMEDY

For any poultry ailments, hens, geese, guineas or turkeys, use Barker's Special Poultry Remedy and remember that it will make more eggs, will prevent disease, help the molt, increase fertility and make more eggs hatch. It is a correctly proportioned regulator and tonic, free from any substance that would irritate and it will produce a handsome return in money through good health and more eggs. Try it—it is guaranteed—it is used successfully by smart poultry men who make money.

Packed in 12 and 25 lb. pails and 50 and 100 lb. sacks. Buy in large quantities, they are cheaper.



BARKER'S HORSE AND CATTLE POWDER

Over so many states and by so many cattle, horse, sheep and hog raisers, for so many years Barker's Horse and Cattle Powder has well served its users. Keeping in good health all farm animals, preventing and relieving disease, increasing milk flow in cows, preventing scours in calves, enabling horses and mules to better work and helping to fatten sheep and hogs is its infallible duty—it is without a peer in producing results that mean something in money return. Fully guaranteed.

Packed in 12 and 25 lb. pails and 50 and 100 lb. sacks. Buy in large quantities, they are cheaper.

Make your Horse, Cattle and Poultry Food medicinal. See receipt on side of package of Barker's Powder

CAUTION—BEWARE OF COUNTERFEITS

Look out for worthless powders claimed to contain same ingredients as **BARKER'S**

Storekeepers, Farmers, Dairymen and Farriers are cautioned, if they wish the genuine Powder, not to buy any without the signature of the Officers of the Company on the end of each Package.

THE BARKER, MOORE & MEIN MEDICINE CO., Inc.
PHILADELPHIA, PA.

CLEANLINESS IN ANIMAL HOUSING
IS EASIEST OBTAINED WITH

BARKER'S DISINFECTANT

January 1st, 1924.

DEAR FRIEND:—

You are one of our customers—you have helped your own interest by using our remedies: in our Seventy Years of successful business dealings we have helped many farmers and others who raise cattle, horses, hogs, sheep, poultry and other farm animals.

You know our remedies to be standard: they keep your stock healthy and free from disease—they make your chicks live and grow and make your hens lay more eggs.

Possibly you have been more successful with animals than your neighbors have because you have used our remedies: perhaps some of your neighbors have used some one item of our line that you have not used—perhaps you have noticed their success because of this fact—if this is so will it not profit you to do likewise?

Our service to animal raisers extends over a period of seventy years—our experience is available for your benefit. Write us and let us help you keep your animals healthy and profitable; this service is free.

For your convenience we enclose an order blank—you can profitably use it: get what you require from your dealer and if he cannot supply you we will gladly do so from our factory, if you will include in your remittance enough to cover parcel post charges.

Send in your order. We will ship promptly.

Wishing you every success, we remain

Yours very truly,

BARKER, MOORE & MEIN MEDICINE COMPANY

F. V. L. TURNER

Sales Mgr.

BARKER'S LINIMENT USED FOR SEVENTY YEARS.
RUB IT IN. IT WON'T BURN.

USE
BARKER'S SPECIAL POULTRY REMEDY
 HIGHLY RECOMMENDED FOR POULTRY DISEASES
 PUT UP IN SMALL AND LARGE PACKAGES. ALSO 25-LB. PAILS
THE BEST FOR RAISING CHICKENS, TURKEYS, GEESE, DUCKS AND SQUABS
 A REGULATOR, CONDITIONER AND TONIC



BARKER'S HORSE AND CATTLE POWDER

BARKER'S LICE POWDER

BARKER'S ROUP REMEDY

BARKER'S HEALING OINTMENT

BARKER'S GAPE REMEDY

FOR SALE AT ALL DRUG, GROCERY AND GENERAL MERCHANDISE STORES